

U020-P08

会場:コンベンションホール

時間:5月24日 10:30-13:00

還元的海洋でのモリブデンおよびタングステンの固液分配 Solid-water distribution of molybdenum and tungsten under reducing ocean

高橋 嘉夫¹, 柏原 輝彦¹, 大森 恵理子^{1*}, 横山 由佳¹, 三好 陽子², 川口 慎介³, 石橋 純一郎²

Yoshio Takahashi¹, Teruhiko Kashiwabara¹, Eriko Omori^{1*}, Yuka Yokoyama¹, Youko Miyoshi², Shinsuke Kawagucci³, Jun-ichiro Ishibashi²

¹ 広島大学, ² 九州大学, ³ 海洋研究開発機構

¹Hiroshima University, ²Kyusyu University, ³JAMSTEC

The concentrations of trace elements in the ocean are controlled by their adsorption onto ferromanganese oxide. Molybdenum (Mo) and Tungsten (W) have similar chemical characteristics since they are congener of belonging to Group 6 family, so they have similar chemical feature. However, the concentration of the dissolved W in the ocean is considerably smaller lower than that of Mo, since the concentration of trace elements in the ocean is dominated by adsorption to ferromanganese oxides. Tungsten is easier adsorbed significantly onto the ferromanganese oxides and is removed from seawater, while Mo is difficult to be adsorbed on the ferromanganese oxides and is readily dissolved in seawater. On the other hand, under the reductive ocean like early earth, the concentration of these trace elements in the ocean might be dominated by adsorption on sulfides. In other words, by changes in redox status condition due to the Earth's evolution, the water solubility of Mo and W are expected to be reverse to the present ocean. However, the solubility of Mo and W under reductive ocean is largely unknown. Therefore, in this study, adsorption experiments were conducted under various systems conditions to simulate reductive ocean in order to investigate the solid phase-liquid phase distribution behaviors of Mo and W under these systems. Adsorption structure and distribution coefficients of Mo and W were determined by using X-ray adsorption fine structure (XAFS) and inductively coupled plasma mass spectrometry (ICP-MS), respectively. The measurement results showed that adsorption distribution coefficient of Mo is about 8 times larger than that of W, and the two elements can be readily adsorbed onto pyrite under low-pH condition. Although their adsorbed chemical species are also sulfide, while the formation of Mo sulfide is did not affected by the pH, while formation of W sulfide did not proceed under high pH condition, where W sulfide was not generated. Thus, the water solubility of W is more likely greater than that of Mo under reductive condition where the solubility is dominated sulfide.

キーワード: モリブデン, タングステン, 海水, 溶解性, スペシエーション