

地球核条件下にレーザー衝撃圧縮された Fe-Ni 合金の音速 Sound velocities of laser-shocked Fe-Ni alloys under Earth core conditions

境家 達弘^{1*}; 横山 直也¹; 細木 亮太¹; 近藤 忠¹; 寺崎 英紀¹; 重森 啓介²; 弘中 陽一郎²
SAKAIYA, Tatsuhiko^{1*}; YOKOYAMA, Naoya¹; HOSOGI, Ryota¹; KONDO, Tadashi¹; TERASAKI, Hidenori¹; SHIGEMORI, Keisuke²; HIRONAKA, Yoichiro²

¹ 大阪大学大学院理学研究科宇宙地球科学専攻, ² 大阪大学レーザーエネルギー学研究センター
¹Graduate School of Science, Osaka University, ²Institute of Laser Engineering, Osaka University

When we consider the structure of Earth's interior, the sound velocity is one of the important physical properties of the interior materials because it can be directly compared with the seismological data (1) which can yield the physical properties of the Earth's interior. Cosmochemical data and the composition of iron meteorites suggest that Earth's core contains mainly Fe-Ni alloy with 5-25 wt.% Ni. Although Lin et al. (2) and Kantor et al. (3) measured compressional sound velocities of Fe-Ni alloys at room temperature by inelastic x-ray scattering (IXS) at diamond anvil cell (DAC), the sound velocity data of liquid Fe-Ni alloys is very few (4).

We performed laser-shock experiments of liquid Fe-Ni alloys at HIPER system of Gekko-XII laser in Institute of Laser Engineering, Osaka University (5). Sound velocities were measured by side-on radiography (6, 7). We obtained sound velocities of Fe-Ni alloys at pressures up to 770 GPa. The sound velocity of Fe-Ni alloy was about 10% lower than that of liquid Fe at inner core boundary (ICB) pressure.

Part of this work was performed under the joint research project of the Institute of Laser Engineering, Osaka University.

References

1. A.M. Dziewonski, D.L. Anderson, *Phys. Earth Planet. Inter.* 25, 297 (1981).
2. J.F. Lin et al., *Geophys. Res. Lett.* 30, 2112 (2003).
3. A.P. Kantor et al., *Phys. Earth Planet. Inter.* 164, 83 (2007).
4. P.M. Nasch, M.H. Manghnani, *Geophys. Monograph Ser.* 101, 307 (1998).
5. C. Yamanaka et al., *Nucl. Fusion* 27, 19 (1987).
6. K. Shigemori et al., *Rev. Sci. Instrum.* 83, 10E529 (2012).
7. T. Sakaiya et al., *Earth Planet. Sci. Lett.* in press (2014).

キーワード: 音速, レーザー, 衝撃波, 鉄合金, 地球核, 実験

Keywords: sound velocity, laser, shock wave, iron alloy, Earth's core, experiment