

PPS025-P04

会場:コンベンションホール

時間:5月23日 10:30-13:00

エアロジェル中の衝突トラック形状と入射粒子密度の関係：Wild 2 彗星塵の密度推定

Density Estimation from Impact Track Morphology in Silica Aerogel: Application to Dusts of Comet 81P/Wild 2

新居見 励¹, 門野 敏彦^{2*}, 土山 明¹, 長谷川 直³, 田端誠³, 町井 渚⁴, 中村 昭子⁴, 渡辺隆行⁵, 八木下 将史⁵, 奥平 恭子⁶
Rei Niimi¹, Toshihiko Kadono^{2*}, Akira Tsuchiyama¹, Sunao Hasegawa³, Makoto Tabata³, Nagisa Machii⁴, Akiko Nakamura⁴, Takayuki Watanabe⁵, Masashi Yagishita⁵, Kyoko Okudaira⁶

¹ 大阪大学理学研究科, ² 大阪大学レーザーエネルギー学研究センター, ³ 宇宙航空研究開発機構, ⁴ 神戸大学大学院理学研究科地球惑星科学専攻, ⁵ 東工大総合理工学, ⁶ 公立大学法人 会津大学

¹Osaka University, ²Institute of Laser Engineering, ³Japan Aerospace Exploration Agency, ⁴Kobe University, ⁵Tokyo Institute of Technology, ⁶The University of Aizu

Cometary dust particles of Wild2 have been successfully collected and returned in Stardust Mission [Brownlee et al. (2006) Science 314, 1711-1726]. Hypervelocity capture (6.1 km/s) of those particles mandated various degrees of heating, fragmentation and evaporation of the projectiles during their capture process in silica aerogel [Zolensky et al. (2006) Science 314, 1735-1739]. Nevertheless, an impact track formed by each particle can be an indicator of its original properties [Horz et al. (2006) Science 314, 1716-1719]. Particle size dependence of track properties has been studied in several papers [Burchell et al. (2009) Planet. Space. Sci. 57, 58-70; Horz et al. (2009) Meteor. Planet. Sci. 44, 1243-1264] and impact tracks in Stardust aerogel formed by several sized soda lime glass beads of different sizes were used for calibration of Wild2 dust size distribution [Burchell et al. (2008) Meteor. Planet. Sci. 43, 23-40]. In the work of Iida et al. [(2010) Meteor. Planet. Sci. 45, 1302-1319], three-dimensional structures of Stardust impact tracks were analyzed and Wild2 dust density was estimated based on their track formation model. However, density dependence of track properties has not been investigated precisely yet. Therefore, we carried out impact experiments into silica aerogel (20 mg/cc) using projectiles of several densities in order to clarify the relation between projectile properties (size and density) and track morphology. The experiments were carried out with a two-stage light-gas gun at ISAS, JAXA. The projectiles we used were bubble glass (0.5 g/cc) polystyrene (1.06 g/cc), sintered silica (~1.3 g/cc), soda lime glass (2.5 g/cc), alumina (3.9 g/cc), and copper (8.9 g/cc). All the projectiles except for sintered silica were spherical in shape. Size of these impactors ranged from ~0.03 to ~0.1 mm in diameter and they were fired into 20 mg/cc silica aerogel at ~6 km/s to simulate the capture of Wild2 dust. All the individual impact tracks were observed with an optical microscope. The results show that track length (L_t) depends on projectile size and density while maximum track width (D_m) mainly depends only on projectile size. Therefore, aspect ratio (L_t/D_m) does not change with projectile size, but only with projectile density. This means that when we estimate projectile properties from a track shape, L_t/D_m is a good indicator of projectile density. This can be applicable for Stardust impact tracks; densities of Wild2 dust particles are estimated by examining the relation between projectile density and aspect ratio of a track in Stardust aerogels.