

SIT040-P04

会場:コンベンションホール

時間:5月23日 10:30-13:00

## マントル深部鉱物の第一原理格子熱伝導計算 Ab initio lattice thermal conductivity of deep mantle minerals

出倉 春彦<sup>1\*</sup>, 土屋 卓久<sup>2</sup>, 土屋 旬<sup>1</sup>

Haruhiko Dekura<sup>1\*</sup>, Taku Tsuchiya<sup>2</sup>, Jun Tsuchiya<sup>1</sup>

<sup>1</sup> 愛媛大・上級研究員センター, <sup>2</sup> 愛媛大・地球深部研

<sup>1</sup>SRFC, Ehime Univ., <sup>2</sup>GRC, Ehime Univ.

The core-mantle boundary heat flow depends on the thermal conductivity of the base of Earth's lower mantle. Direct measurement of thermal conductivity of minerals remains technically challenging at the deep mantle condition. On the other hands, *ab initio* computational technique based on the density functional theory (DFT) allows us to examine microscopic process of the transport phenomena including the lattice thermal conduction. Earlier theoretical works calculated the lattice thermal conductivity of MgO with *ab initio* molecular dynamics (MD) simulation or direct evaluation of third-order anharmonic force constants to compute phonon-phonon interaction (Nico de Koker, Phys. Rev. Lett. **103**, 125902, 2009, X. Tang and J. Dong, Proc. Natl. Acad. Sci. U.S.A. **107**, 4539, 2010). However, in these approaches, the simulation cell is often insufficient to accurately calculate the long wave-length phonon-phonon interactions. This leads to a lack of the decay channels for the phonons. For a more reliable way, the anharmonic coupling between phonon modes can be calculated within density functional perturbation theory (DFPT). In this approach, the higher-order force constants are calculated based on the perturbative scheme taking care only of the primitive cell. In this presentation, we show the phonon decay and the lattice thermal conductivity of MgO in the lower mantle conditions.

Research supported by Senior Research Fellow Center, Ehime University.

キーワード: 第一原理計算, 格子熱伝導, フォノン-フォノン相互作用, マントル深部鉱物

Keywords: first principles calculation, lattice thermal conductivity, phonon-phonon interaction, deep mantle minerals