## Japan Geoscience Union Meeting 2013

(May 19-24 2013 at Makuhari, Chiba, Japan)

©2013. Japan Geoscience Union. All Rights Reserved.



PPS24-P07

会場:コンベンションホール

時間:5月23日18:15-19:30

## LL5-6 普通コンドライト隕石中のリン酸塩鉱物の岩石学的研究, H2O 含有量及び水素同位体組成

Petrography, H2O contents and hydrogen isotopic composition of phosphate minerals from LL5-6 ordinary chondrites

柳井 佳穂里 <sup>1\*</sup>, 伊藤 正一 <sup>1</sup>, 圦本 尚義 <sup>1</sup>, ジェームズ グリーンウッド <sup>2</sup>, サラ ラッセル <sup>3</sup> Kaori Yanai <sup>1\*</sup>, Shoichi Itoh <sup>1</sup>, Hisayoshi Yurimoto <sup>1</sup>, James Greenwood <sup>2</sup>, Sara Russell <sup>3</sup>

Ordinary chondrites of petrologic types 4 to 6 exhibit a sequence of progressive chemical and textural equilibration, and contain Cl-rich apatite grains (e.g., Jones et al., 2011).

Previous study reported that the water contents of chlorapatite are very low (<100ppm), even though apatite grains in ordinary chondrites seem to have a significant H2O contents based on a deficit of anions (Jones et al., 2011). As results, they suggest that apatite grains were formed with a dry and halogen-bearing fluid that has been derived by degassing of chondritic melts.

In the preliminary study, we reported the petrography, H2O contents and hydrogen isotopic compositions in chlorapatite from Mocs L5-6 and Ensisheim LL6 ordinary chondrites using secondary ion mass spectrometry (SIMS). The H2O contents of apatite grains in Ensisheim (LL6) and Mocs (L5-6) are estimated to be ~60 ppm and ~35 ppm, respectively. These H2O contents are similar to the previous reported values from LL chondrites (Jones et al., 2011). The hydrogen isotopic compositions of apatite grains from Ensisheim are extremely D-rich (dD=~+17000 permil). Remarkably, we found the reaction texture between apatite grain and olivine grain from Ensisheim LL6 chondrite, which reported that of texture from St. Severine LL6 chondrite (Jones et al., 2011). However, the origin of extremely D enrichment of those of Ensisheim LL6 is unclear whether this is resulting from LL6 general characteristics of thermal process of parent body or from unique results of late reaction by fluids only for Ensisheim LL6 chondrite, because of limited study of preliminary examination.

In this study, we will report the petrography of phosphate minerals with other thin sections, LL5-6 (Ensisheim LL6 and Tuxtuac LL5) to compare it with those of Ensisheim LL6 chondrite. Thin section (Tuxtuac) loaned from Natural History Museum, London (NHM) were used in this study. Phosphate grains were identified using elemental X-ray mapping using scanning electron microscope (FE-SEM JEOL JSM 7000-F) and energy dispersive X-ray spectrometry (EDS Oxford INCA Energy) at Hokkaido University.

Phosphate minerals (merrilite and apatite) from Tuxtuac show the reaction texture at the boundary of olivine and phosphate minerals. However, the chemical compositions (P, Cl and Ca) of olivine grain are homogeneously distributed using 5kV, even if those of distribution are enriched in the rim of olivine grain with 15kV X-ray mapping. This suggests that the reaction texture with BSE image might be resulting from the effect of edge crystal. On the other hand, the Cl-zonation in the reaction texture between olivine and apatite from Ensisheim LL6 chondrite with D-enrichment signature are identified with 5KV X-ray mapping.

In the future, we will further examine the petrography of phosphate minerals from other LL4-6 chondrites has already been loaned thin sections from NHM and compare with the petrography, hydrogen isotopic compositions of phosphate minerals to give an constraint for the origin of D-enrichment of phosphate minerals in the Ensisheim LL6 chondrite.

キーワード: アパタイト, 水素同位体, LL 普通コンドライト, リン酸塩鉱物

Keywords: apatite, Hydrogen isotope, LL ordinary chondrite, phosphate mineral

<sup>&</sup>lt;sup>1</sup> 北海道大学大学院理学研究院, <sup>2</sup>Wesleian University, <sup>3</sup>Natural History Museum, London

<sup>&</sup>lt;sup>1</sup>Department of Natural History Sciences, Hokkaido University, <sup>2</sup>Wesleian University, <sup>3</sup>Natural History Museum, London