Japan Geoscience Union Meeting 2013

(May 19-24 2013 at Makuhari, Chiba, Japan)

©2013. Japan Geoscience Union. All Rights Reserved.



SIT03-06

会場:202

高温高圧下における鉄軽元素合金の音速と内核の組成と温度構造 Sound velocity of iron-light-element alloys at high pressure and temperature and composition and thermal state of the in

大谷 栄治 ¹*, 境, 毅 ², 鎌田, 誠司 ¹, 坂巻, 竜也 ¹, 三部, 賢治 ³, 柴崎, 裕樹 ⁴, 福井, 宏之 ⁵, 筒井, 聡史 ⁶, バロン, アルフレッド

Eiji Ohtani^{1*}, SAKAI, Takashi², KAMADA, Seiji¹, SAKAMAKI, Tatsuya¹, MIBE, Kenji³, SHIBAZAKI, Yuki⁴, FUKUI, Hiroshi⁵, TSUTSUI, Satoshi⁶, BARON, Alfred⁵

¹ 東北大学理学部,² 愛媛大ジオダイナミックス研究センター,³ 東京大学地震研究所,⁴ カーネギー研究所,⁵ 理化学研究所, ⁶ 高輝度光科学研究センター

¹Graduate School of Science, Tohoku University, ²Geodynamics Research Center, Ehime University, ³Earthquake Research Institute, University of Tokyo, ⁴Carnegie Institute of Wahington, ⁵RIKRN, ⁶Japan Snchrotron Radiation Research Institute

Sound velocity is the most accurate observable properties of the earth's interior and can provide important clues on structure and composition of the core. In spite of their importance, the sound velocity data of the core materials at high pressure are still very limited due to technical difficulties.

We measured the compressional velocity of hcp-iron and other iron-light element alloys by the inelastic X-ray scattering (IXS) method using DAC at high pressure and temperature. We measured the velocity up to 174 GPa at room temperature to 91 GPa at temperatures to 1000 K using the external heating diamond anvil cell. We also measured the compressional velocity and density of Fe0.83Ni0.09Si0.08 alloy to 151 GPa and Fe3S up to 85 GPa at room temperature. Inelastic X-ray scattering spectra were taken at BL35XU, Spring-8.

The present compressional velocity-density relation of hcp-Fe at 300 K is consistent with recent IXS results obtained by Mao et al. [2012] and Antonangeli et al. [2012]. This work shows almost no temperature effect, i.e., Birch's law is applicable up to the temperature of at least 1000 K at c.a. 91 GPa. We obtained the following Birch's law by fitting our results and the recent hcp-Fe data-sets at 300 K: Vp [km/s] = 1.174(+-0.031)d[g/cm3] ? 3.591(+-0.326). The compressional velocity and density curves for hcp-Fe0.83Ni0.09Si0.08 alloy, Fe3S and hcp-Fe of Birch's law locate above those of the PREM inner core in the velocity-density diagram. Thus these observations indicate following two possibilities, i.e., hcp-Fe has a large temperature effect on Birch's law as was suggested by some theoretical works [Vocadlo et al., 2009; Sha and Cohen, 2010] or the inner core contains some amounts of heavy elements such as Ni with a negligible temperature effect on Birch's law. In the latter case we need higher temperature of the inner core in order to reduce the density of iron-nickel alloy to match the PREM inner core density. The amount of light and heavy elements of the inner core for a given inner core temperature, i.e., a plausible composition-temperature model of the inner core will be presented.

References

Antonangeli, D., et al. (2012), Simultaneous sound velocity and density measurements of hcp iron up to 93 GPa and 1100 K: An experimental test of the Birch's law at high temperature, Earth Planet. Sci. Lett., 331?332, 210?214.

Mao, Z., et al. (2012), Sound velocities of Fe and Fe-Si alloy in the Earth's core, www.pnas.org/cgi/doi/ 10.1073/pnas.1207086109. Sha, X., R. E. Cohen (2010), Elastic isotropy of ?-Fe under Earth's core conditions, Geophys. Res. Lett., 37, L10302, doi:10.1029/2009GL042224.

Vo?adlo, L., Dobson. D. P., and Wood, I. G. (2009), Ab initio calculations of the elasticity of hcp-Fe as a function of temperature at inner-core pressure, Earth Planet. Sci. Lett., 288, 534?538.

キーワード: X 線非弾性散乱, 音速, hcp-Fe, ダイヤモンドアンビル, 高温高圧, 内核

Keywords: Inelastic X-ray Scattering, Sound veolcity, hcp-Fe, Diamond anvil cell, High Pressure and Temperature, Inner core