

# Japan Geoscience Union Meeting 2011

(May 22-27 2011 at Makuhari, Chiba, Japan)

©2011. Japan Geoscience Union. All Rights Reserved.



MIS036-P65

会場: コンベンションホール

時間: 5月26日 14:15-16:15

## 遠地 P 波の高周波震動継続時間と変位振幅による東北地方太平洋沖地震のマグニチュード

### Magnitude of the 2011 Off the Pacific Coast of Tohoku Earthquake from HFER duration and displacement amplitudes

原辰彦<sup>1\*</sup>

Tatsuhiko Hara<sup>1\*</sup>

<sup>1</sup> 建築研究所 国際地震工学センター

<sup>1</sup> IISEE, BRI

We determined magnitude of the 2011 Off the Pacific Coast of Tohoku Earthquake using durations of high frequency energy radiation (HFER) and the maximum displacement amplitudes of tele-seismic P waves. The estimated HFER duration and magnitude are 170.5 s, and 8.96, respectively. Compared to the December 26, 2004 Sumatra earthquake (Mw 9.0), the HFER duration of this event is shorter, while the displacement amplitude is larger. We discuss the relation between HFER duration and displacement amplitude for other large shallow earthquakes in the presentation. The azimuthal dependence of HFER durations indicates the rupture propagation in the southwest direction. We measured time differences between P-wave arrivals and the times at which absolute amplitudes of high bandpass filtered P-waves became the largest. Most of the time differences normalized by the centroid time shift are in the range between 50 and 80 per cent, which is consistent with the frequency distribution that we obtained for large shallow earthquakes previously.

キーワード: 高周波エネルギー放射, マグニチュード

Keywords: high frequency energy radiation, magnitude