

## ペルム紀末大量絶滅のトリガーとプロセス Trigger and process of the end-Permian mass extinction

海保 邦夫<sup>1\*</sup>, 古賀 聖治<sup>2</sup>, 伊藤 幸佑<sup>1</sup>, 大庭 雅寛<sup>1</sup>, ポール・ゴージャン<sup>3</sup>, 高橋 聡<sup>1</sup>, チェン・ツォン チアン<sup>4</sup>, 童金南<sup>4</sup>, 山北 聡<sup>5</sup>

KAIHO, Kunio<sup>1\*</sup>, KOGA Seizi<sup>2</sup>, ITO Kosuke<sup>1</sup>, OBA Masahiro<sup>1</sup>, GORJAN Paul<sup>3</sup>, TAKAHASHI Satoshi<sup>1</sup>, CHEN Zhong-Qiang<sup>4</sup>, TONG Jinnan<sup>4</sup>, YAMAKITA Satoshi<sup>5</sup>

<sup>1</sup> 東北大学大学院理学研究科, <sup>2</sup> 産総研, <sup>3</sup> ワシントン大学, <sup>4</sup> 中国地質大学, <sup>5</sup> 宮崎大学

<sup>1</sup>Tohoku University, <sup>2</sup>National Institute of Advanced Industrial Science and Technology, <sup>3</sup>Washington University, <sup>4</sup>China University of Geosciences, <sup>5</sup>Miyazaki University

The largest mass extinction of animals and plants in both the ocean and on land occurred at the end of the Permian, largely coinciding with the largest flood basalt volcanism event in Siberia. Our depth-transect data show that euxinia frequently developed below 100-m water depth in the Changhsingian, followed by anoxia or dysoxia at 200- to 40-m water depths during the extinction. These organic and isotopic geochemical results imply that there was an accumulation of hydrogen sulphide in intermediate and deep waters followed by oxidation of hydrogen sulphide that led to dissolved oxygen consumption, surface-water anoxia, and acidification, resulting in the end-Permian mass extinction in the seas. The possibility of atmospheric ozone collapse due to coincident massive release of CH<sub>4</sub> from the Siberian igneous province and H<sub>2</sub>S from the euxinic ocean to the atmosphere is not likely. Our calculations indicate that a massive release of CH<sub>4</sub> and H<sub>2</sub>S to the atmosphere would cause an approximately 10% decrease in atmospheric O<sub>2</sub> levels but not significantly alter ozone levels. The slight decrease in atmospheric O<sub>2</sub> levels may also have contributed to the extinction event. However, the end-Permian mass extinction of terrestrial animals was most likely significant global warming and an increase in CO<sub>2</sub> levels probably induced by the Siberian volcanism, not an increase in UV radiation levels and a decrease in atmospheric O<sub>2</sub> levels.

キーワード: ペルム紀, 大量絶滅, メタン, 硫化水素, オゾン, 酸素

Keywords: Permian, mass extinction, CH<sub>4</sub>, H<sub>2</sub>S, ozone, O<sub>2</sub>