

A Study of ULF pulsations observed at a New Magnetometer Array in the Tasmania and New Zealand Region

OBANA, Yuki^{1*}, SHIOKAWA, Kazuo¹, KAKINAMI, Yoshihiro³, SAITA, Satoko⁴, YOSHIKAWA, Akimasa⁵, TANAKA, Yoshimasa⁶, F. W. Menk⁷, C. L. Waters⁷, B. J. Fraser⁷, C. J. Rodger⁸

¹Department of Engineering Science, Osaka Electro-Communication University, ²Solar-Terrestrial Environment Laboratory, Nogyo University, ³Institute of Seismology and Volcanology, Hokkaido University, ⁴The Institute of Statistical Mathematics, ⁵Department of Earth and Planetary Sciences, Kyushu University, ⁶National Institute of Polar Research, ⁷School of Mathematical and Physical Sciences, The University of Newcastle, ⁸Department of Physics, The University of Otago

In order to observe ULF pulsations and its spatial distribution, we are constructing a new magnetometer array in New Zealand and Tasmania region. In February 2011 and March 2012, we installed (or will install) magnetometers in Middlemarch and Wairarapa, respectively. Some magnetometers have been operated by previous projects in Tasmania and its conjugate point. Coordination of their and our magnetometers will allow us to study temporal variations of frequency of field line resonances in the Tasmania and New Zealand meridian lines. In this paper, our latest results are introduced.

Keywords: ULF, plasmasphere, Inner Magnetosphere, Magnetosphere-Ionosphere coupling