

初期太陽系における巨大惑星のトロヤ群天体の捕獲と解放

The capture and release of Trojan asteroids by the giant planets during the solar system history

ソフィアリカフィカパトリック^{1*}, Jonathan Horner²

SOFIA LYKAWKA, Patryk^{1*}, Jonathan Horner²

¹ 近畿大学 総合社会学部 (天文学分野), ²University of New South Wales

¹Faculty of Soc. & Nat. Sci., Kinki Univ., ²University of New South Wales

Trojan objects can be dynamically stable over billions of years, implying that they carry precious information about the history of the solar system. We performed numerical simulations to investigate the origin and long term evolution of Trojans of the four giant planets. The results suggest all giant planets are able to capture and retain a significant population of Trojan objects from the primordial planetesimal disk after planet migration. In general, captured Trojans yielded a wide range of eccentricities and inclinations. The bulk of captured objects decay over Gyr providing an important source of new objects on unstable orbits. Our results suggest the bulk of observed Jovian and Neptunian Trojan populations are the survivors from a larger captured population, but their high-*i* component ($>20\sim 25$ deg) remain unexplained so far.

キーワード: エッジワース・カイパーベルト, 太陽系, 巨大惑星, 軌道共鳴, トロヤ群天体, 太陽系外縁天体

Keywords: Edgeworth-Kuiper belt, Solar system, Giant planets, Orbital resonances, Trojan asteroids, Trans-Neptunian objects (TNOs)