Japan Geoscience Union Meeting 2012

(May 20-25 2012 at Makuhari, Chiba, Japan)

©2012. Japan Geoscience Union. All Rights Reserved.



SVC50-01

会場:104

時間:5月23日13:45-14:00

霧島火山における 2011 年 1 月の噴火以降の GPS 連続観測による地殻変動 Crustal deformation after the eruption on January, 2011 by continuous GPS observation in Kirishima Volcano

NAKAO, Shigeru^{1*}, MORITA, Yuichi², GOTO, Kazuhiko¹, YAKIWARA, Hiroshi¹, Shuichiro Hirano¹, OIKAWA, Jun², UEDA, Hideki³, KOZONO, Tomofumi³, Yasuhiro Hirata², TAKAHASHI, Hiroaki⁴, ICHIYANAGI, Masayoshi⁴, OHTA, Yusaku⁵, MATSUSHIMA, Takeshi⁶, IGUCHI, Masato⁷

 1 鹿児島大学大学院理工学研究科, 2 東京大学地震研究所, 3 防災科学技術研究所, 4 北海道大学地震火山研究観測センター, 5 東北大学大地震・噴火予知研究観測センター, 6 九州大学大学院地震火山観測研究センター, 7 京都大学防災研究所火山活動研究センター

¹GSSE, Kagoshima Univ., ²ERI, Univ. of Tokyo, ³NIED, ⁴ISV, Hokkaido Univ., ⁵RCPEV, Tohoku Univ., ⁶SEVO, Kyushu Univ., ⁷SVO, Kyoto Univ.

In January, 2011, sub-Pulinian eruption occurred in Shinmoedake. Before the eruption four continuous GPS sites are operated with one site of DPRI, Kyoto University, three GEONET and two NIED sites. Four continuous GPS sites were added to the existing GPS network after the eruption. Two other GPS sites were settled in April, 2011. The dense GPS network is consisted of 17 GPS sites.

The deflation source of the eruption is estimated about 7km westward from Shinmoedake with 9.3km depth. The amount of deflation is about 24 M cubic meters. This deep deflation source seems to be magma chamber in this activity.

Length changes are calculated on several baselines. Extension rate of baseline lengths after the eruption are almost same as that before the eruption. However, there are three period of rate change, May, August and November to December, 2011. In May, rate of baseline occurred, whose end point is located near the deep source. In August, rate of baselines decreases to almost zero, where baselines are across on the Shinmoedake. Rate of baselines also decreases to almost zero, where baselines are over the deep source. Length of these baselines became extended in August. It seems that magma supply into the deep chamber becomes lower.