

日本中央部, 滝谷池湖沼一流域系を対象とした観測に基づく地表プロセスの解明
Earth-surface processes on the basis of instrumental observations in Takidani-ike lake-catchment system, central Japan

糸野 妙子^{1*}; 柏谷 健二¹; 落合 伸也¹
ITONO, Taeko^{1*}; KASHIWAYA, Kenji¹; OCHIAI, Shinya¹

¹ 金沢大学

¹ Kanazawa University

Lacustrine sediments contain both high-resolution regional environmental records and global information in lake-catchment systems. They are also of great use for reconstructing short-term environmental changes (precipitation, water discharge, etc.) and understanding earth-surface processes (erosion, transportation, sedimentation) in the lake-catchment system.

Process understanding is essential for clarifying causal relations in earth surface phenomena and proper interpretation of sediment information. Instrumental observation (monitoring) is of great use for the process understanding. This study deals with the instrumental observation for a small pond-catchment system (Takidani-ike) near Kanazawa University. The pond is storage reservoir. It is used for agricultural irrigation in summer. Therefore the water level shows highly fluctuation. Our observation consists of sediment sampling with trap, water level measurement, temperature measurement, and precipitation measurement. Observation in Takidani-ike using sediment trap has continued since June 2000.

Observational and analytical results for Takidani-ike show that; the sedimentation rate (both monthly and seasonal sedimentation) is expressed as a function of two factors; precipitation intensity (external factor) and water level change (system factor, closely related to size of erodible area). The correlation for the seasonal relationship is better than one for the monthly relationship, suggesting that reservoir effect in the catchment should be considered. The results also show that mineral grain size may be used as proxies for sedimentation rate.

キーワード: 湖沼一流域系, 地表プロセス, 池沼堆積物, 堆積速度

Keywords: lake-catchment system, earth-surface process, pond sediment, sedimentation rate