

## 深海生態系における物質循環の同位体トレーサー実験による定量化 Biogeochemical cycles on the deep-sea floor revealed by isotope labeling experiments

野牧 秀隆<sup>1\*</sup>  
NOMAKI, Hidetaka<sup>1\*</sup>

<sup>1</sup> 海洋研究開発機構  
<sup>1</sup>JAMSTEC

Deep-sea benthic food webs are mainly sustained by sinking aggregates of phytodetritus derived from the water column. Although the majority of organic matter is consumed before reaching the deep-sea floor, phytodetritus still transports a significant amount of fresh material from the surface ocean to the seafloor. A portion of the phytodetritus is converted to benthic biomass, and the remaining refractory organic matter not utilized by the benthic community is preserved in the sedimentary record. The activity of the benthic community is thus expected to be an important factor in controlling the quality of organic matter, and biogeochemical cycles on the deep-sea floor. We carried out some different types of *in situ* isotope labeling experiments to reveal these benthic processes. Results quantitatively demonstrated the fate of phytoplankton, bacteria, dissolved organic carbon, and dissolved inorganic carbon on the deep-sea floor.

キーワード: 堆積物—水境界, 底生生物, 同位体トレーサー, 生物地球化学サイクル  
Keywords: Sediment-water interface, Benthos, isotope tracer, Biogeochemical cycle