

ISS-IMAP/EUVIで観測された夕方側電離圏上部Heイオンの水平構造 Horizontal structures of ionized Helium in the topside ionosphere of dusk side observed by ISS-IMAP/EUVI

穂積 裕太^{1*}; 齊藤 昭則¹; 山崎 敦²; 村上 豪²; 吉川 一郎³
HOZUMI, Yuta^{1*}; SAITO, Akinori¹; YAMAZAKI, Atsushi²; MURAKAMI, Go²; YOSHIKAWA, Ichiro³

¹ 京都大学大学院理学研究科地球物理学教室, ² 宇宙航空研究開発機構 宇宙科学研究所, ³ 東京大学
¹Department of Geophysics, Graduate School of Science, Kyoto University, ²Institute of Space and Astronautical Science / Japan Aerospace Exploration Agency, ³The University of Tokyo

Horizontal structures of ionized Helium in the topside ionosphere of dusk side were obtained with the Extreme Ultra Violet Imager (EUVI) of the ISS-IMAP (Ionosphere, Mesosphere, upper Atmosphere and Plasmasphere mapping) mission. EUVI has taken image of He He II radiation (30.4 nm) from the International Space Station (ISS) since October 2012. In this work, images taken in 2013 were analyzed. North-south asymmetry and longitudinal structure of ionized Helium were found. Seasonal dependence of these horizontal structures will be discussed.

キーワード: 上部電離圏, ISS-IMAP, ヘリウムイオン
Keywords: Topside ionosphere, ISS-IMAP, Ionized Helium