

## ケイ酸塩ペロブスカイトの単結晶弾性 Single-crystal elastic property of silicate perovskites

福井 宏之<sup>1\*</sup>; 米田 明<sup>3</sup>; Shatskiy Anton<sup>4</sup>; 筒井 智嗣<sup>5</sup>; Baron Alfred<sup>2</sup>  
FUKUI, Hiroshi<sup>1\*</sup>; YONEDA, Akira<sup>3</sup>; SHATSKIY, Anton<sup>4</sup>; TSUTSUI, Satoshi<sup>5</sup>; BARON, Alfred<sup>2</sup>

<sup>1</sup> 兵庫県立大学大学院物質理学研究科, <sup>2</sup> 理化学研究所バロン物質ダイナミクス研究室, <sup>3</sup> 岡山大学地球物質科学研究センター, <sup>4</sup> V.S. Sobolev Institute of Geology and Mineralogy, Russian Academy of Science, Siberian Branch, <sup>5</sup> 高輝度光科学研究センター

<sup>1</sup> Graduate School of Material Science, University of Hyogo, <sup>2</sup> Materials Dynamics Laboratory, RIKEN SPring-8 Center, RIKEN, <sup>3</sup> Institute for the Earth's Interior, Okayama University, <sup>4</sup> V.S. Sobolev Institute of Geology and Mineralogy, Russian Academy of Science, Siberian Branch, <sup>5</sup> Research and Utilization Division, SPring-8/JASRI

Information of single-crystal elasticity of silicate perovskite is essential for comprehensive understanding of the lower mantle. We have measured single-crystal elastic property of  $\text{Mg}_{1-x}\text{Fe}_x\text{SiO}_3$  perovskite ( $x = 0$  or  $0.035$ ) by means of inelastic x-ray scattering at the ambient condition. The present results show relatively low values compared to previous reports for the iron free sample. The effect of iron increases both adiabatic bulk modulus and shear modulus. Combining the present results with pressure and temperature derivatives reported in literature, the chemical composition of the lower mantle will be discussed.

Keywords: silicate perovskite, single-crystal elasticity, the lower mantle, inelastic x-ray scattering