

## 太陽プロトンイベントでの航空機放射線被ばく Radiation dose of aircrews during solar proton events

片岡 龍峰<sup>1\*</sup>; 佐藤 達彦<sup>2</sup>  
KATAOKA, Ryuho<sup>1\*</sup>; SATO, Tatsuhiko<sup>2</sup>

<sup>1</sup> 国立極地研究所, <sup>2</sup> 日本原子力研究開発機構  
<sup>1</sup>National Institute of Polar Research, <sup>2</sup>Japan Atomic Energy Agency

A significant enhancement of radiation doses is expected for aircrews during ground-level enhancement (GLE) events, while the possible radiation hazard remains an open question during non-GLE solar energetic particle (SEP) events. Using a new air-shower simulation driven by the proton flux data obtained from GOES satellites, we show the possibility of significant enhancement of the effective dose rate of up to 4.5 uSv/h at a conventional flight altitude of 12 km during the largest SEP event that did not cause a GLE. As a result, a new GOES-driven model is proposed to give an estimate of the contribution from the isotropic component of the radiation dose in the stratosphere during non-GLE SEP events. We show further development of our radiation dose model with some applications, including the most recent GLE 72 occurred on 16 Jan 2014.

キーワード: 太陽プロトンイベント, 放射線被ばく  
Keywords: solar proton events, radiation dose