

稠密地震観測による東北沖地震後の内陸誘発地震に対する応力・流体の影響の検討

Effect of stress and fluid pressure change on shallow earthquake swarm induced by the 2011 Tohoku-Oki earthquake inferred from dense seismic observation

*岡田 知己¹、中山 貴史¹、平原 聡¹、堀 修一郎¹、佐藤 俊也¹、松澤 暢¹

*Tomomi Okada¹, Takashi NAKAYAMA¹, Satoshi Hirahara¹, Shuichiro Hori¹, Toshiya Sato¹, Toru Matsuzawa¹

1.東北大学大学院理学研究科附属地震・噴火予知研究観測センター

1. Research Center for Prediction of Earthquakes and Volcanic Eruptions, Graduate School of Science, Tohoku University

After the 2011 Tohoku-Oki earthquake, some earthquake swarms in the inland area have been occurring. As shown in previous studies, stress change and fluid pressure change would be the causes of the earthquake swarm. Coseismic change of stress tensors is thought to be caused by the stress change due to the Tohoku-Oki earthquake [e.g. Hasegawa et al., 2012; Yoshida et al., 2012]. Diversity of focal mechanisms, which could be interpreted with the Mohr circle, suggests high pore fluid pressure [e.g. Terakawa et al., 2012]. Temporal expansion of aftershock areas suggests that the increase in the fluid pressure is the cause of the earthquake swarm [e.g. Okada et al., 2015]. For understanding more details of the induced earthquake swarm and its causes, we deploy dense seismic observation networks in three areas: southern Akita, northern Akita, Fukushima (Aizu)-Yamagata [cf. Hirahara et al., 2015, AGU Fall Meeting]. Station separation is less than a couple of kilometers in southern Akita, and about 5 kilometers in northern Akita and Fukushima-Yamagata areas. Seismometers and data loggers deployed are KVS-300 and EDR-X7000 of Kinkei System Corporation, respectively.

By using data from the dense seismic network, we can determine reliable focal mechanisms even for M₁ earthquakes. Focal depths of most of earthquakes are determined to be a few kilometers shallower than JMA catalog depths. The improvements of hypocenter locations and focal mechanisms will enable us to estimate the stress regime and the fluid pressure in Tohoku district in more details.

Acknowledgements:

This study was conducted with the support of the Grant-in-Aid for Scientific Research on Innovative Areas (Crustal Dynamics, KAKENHI No. 26109002) from the Ministry of Education, Culture, Sports, Science and Technology (MEXT), Japan. This study was also supported by the MEXT under its Earthquake and Volcano Hazards Observation and Research Program. Dr. Takahiro Shi'ina, Dr. Keisuke Yoshida, and Mr. Yukihiro Chiba helped us for the observation.

キーワード：2011年東北地方太平洋沖地震、誘発地震、応力、流体圧、震源メカニズム解

Keywords: The 2011 Tohoku-Oki earthquake, Induced earthquake, stress, fluid pressure, focal mechanism