

## Petrogenesis of corundum-bearing mafic rock from the Horoman Complex: implications for P-T history of the peridotite

# Tomoaki Morishita[1], Shoji Arai[2], David Green[3]

[1] Earth Science, Kanazawa Univ., [2] Dept. Earth Sci., Kanazawa Univ., [3] RSES., ANU

The corundum-bearing mafic rock, which belongs to the Type II mafic rock of Takazawa et al. (1999), within the Horoman peridotite, Hokkaido, was petrologically examined in detail to obtain the P-T paths of the mafic rock as well as of the peridotite. Only the corundum-bearing mafic rock preserves, at least partly, the high-pressure mineralogy among all other mafic rocks documented from the Horoman complex, which have been completely recrystallized at low pressures.

Conspicuous mantle heterogeneity in terms of mafic rocks including eclogite and/or pyroxenite within peridotite is observed in many orogenic lherzolite massifs. The mafic layers are sometimes concordant with foliation of the peridotite and frequently exhibit folding and boudinage due to plastic deformation. Their origins are still controversial (e.g., Allegre & Turcotte, 1986; Garrido & Bodinier, 1999; Takazawa et al., 1999). Melting of heterogeneous mantle relatively rich in mafic rock components including pyroxenite/eclogite will be complex, with near-solidus melts developing at different temperatures according to different lithologies. Migration and reaction of such melt with more refractory wall-rock is a process of refertilization in which phases approach homogeneity in major elements but not in refractory elements e.g. Cr and Ni contents. The refertilized mantle also remains modally heterogeneous (Yaxley & Green, 1998). Such refertilized and inhomogeneous mantle is capable of yielding more voluminous and compositionally diverse magma than normal mantle (e.g., Hofmann & White, 1982; Hauri, 1996; Takahashi et al., 1998). The origins of mafic layers in peridotite are, therefore, very important not only for mantle heterogeneity but also for the magma genesis.

The corundum-bearing mafic rock, which belongs to the Type II mafic rock of Takazawa et al. (1999), within the Horoman peridotite, Hokkaido, was petrologically examined in detail to obtain the P-T paths of the mafic rock as well as of the peridotite. Only the corundum-bearing mafic rock preserves, at least partly, the high-pressure mineralogy among all other mafic rocks documented from the Horoman complex, which have been completely recrystallized at low pressures. The Type II mafic rock was initially formed at about 0.5-1.0 GPa as cumulate of olivine, plagioclase and minor amount of clinopyroxene and spinel (Shiotani & Niida, 1997; Takazawa et al., 1999). Corundum was then formed by metamorphism and/or partial melting (Raheim & Green, 1974) of the olivine-plagioclase cumulate, the Type II protolith, at higher pressures than the initial condition of formation. Corundum breakdown, which is observed to be due to decompression reactions with clinopyroxene, may be concordant with the decompression P-T path of the Horoman peridotite down to the plagioclase stability field suggested by Ozawa & Takahashi (1995) and Takazawa et al. (1996). The field and petrographical observations of the Type II mafic rock coupled with the isotopic data of Takazawa et al. (1999) and Yoshikawa & Nakamura (2000) possibly indicate a complicated spiral-like P-T trajectory for the Horoman peridotite as follows. The Type II mafic protolith was formed within the peridotite at the time of initial formation of the Horoman peridotite as residue from primitive mantle at ~ 830 Ma (Takazawa et al., 1999; Yoshikawa & Nakamura, 2000). After cooling in shallow levels the Type II mafic rock as well as surrounding peridotite may have experienced subduction to the garnet stability field, and the Type II protolith had possibly experienced partial melting within the garnet stability field. Finally the Horoman complex ascended from the garnet to plagioclase peridotite stability field. It suggests a possibility of multiple recycling of peridotite within the mantle.

In the presentation, we will also present preliminary high P-T experimental result of an aluminous mafic composition.