

Seismic Experiment on the Nishiyama New Mountain formed by the 2000 eruption of Mt. Usu

Hiromitsu Oshima[1], Satoshi Matsumoto[2], Yoshikazu Matsubara[3], Shin'ya Onizawa[4], Hiromu Okada[5], Megumi Nakamura[6], Norimichi Matsuwo[7], Hiroshi Shimizu[8], Yuji Hasimoto[9], tsuneo tsuchida[9]

[1] Earth and Planetary Sci., Hokkaido Univ, [2] SEVO, Sci., Kyushu Univ., [3] Tsukuba R&D Center, OYO Corp., [4] ISV, Hokkaido Univ., [5] UVO - Inst. Seism. Volcan., Hokkaido University, [6] Earth and Planetary Sci., Kyushu Univ, [7] Shimabara Earthq. and Volcano Observatory, Kyushu Univ, [8] Inst. Seismol. & Volcanol., Kyushu Univ., [9] OYO Corp

We carried out seismic experiment on the Nishiyama New mountain area formed by the 2000 eruption of mt. Usu. Five layes are analysed by the refraction method, a small scale dome structcure below the Nishiyama B crater are revelaed. A significat continuous reflection surface are also deduced by the reflection methd. the surface shows dome structure below the Nishiyama crater, and this suggests deformation caused by magma intrushion.

We carried out seismic experiment on the Nishiyama New mountain area formed by the 2000 eruption of mt. Usu. Five layes are analysed by the refraction method, a small scale dome structcure below the Nishiyama B crater are revelaed. A significat continuous reflection surface are also deduced by the reflection methd. the surface shows dome structure below the Nishiyama crater, and this suggests deformation caused by magma intrushion.