

P-wave Shallow Seismic Reflection Profiling of the Suzuka Basement-Involved Active Thrust (Part 2): Nishinojiri Line

Tatsuya Ishiyama[1]; Hiroshi Sato[2]; Shigeru Toda[3]; Atsumasa Okada[4]; Nobuhiko Sugito[5]; Haruo Kimura[2]; Tomoo Echigo[6]; Shinsuke Okada[7]; Hajime Kato[8]; Norimasa Suzuki[9]; Tomohiro Imamura[10]; Yasuhisa Hattori[5]; Shin Oda[11]

[1] Active Fault Research Center, AIST; [2] ERI, Univ. Tokyo; [3] Earth Sci., AUE; [4] Earth and Planetary Sci., Kyoto Univ.; [5] Dept. Geophysics, Kyoto Univ.; [6] Graduate School of Science, The University of Tokyo; [7] Earth and Planetary Sci., Univ. Tokyo; [8] Education and Human Sci., Univ. of Yamanashi; [9] Education of Sci, Aichi Education Univ ; [10] Dept. geophysics, Kyoto Univ; [11] Earth and Planetary Sci., Tokyo Univ

We obtained a new seismic reflection profile across the Suzuka active basement-involved fold within the Nobi-Ise fault zone (NIFZ).