Japan Geoscience Union Meeting 2010

(May 23-28 2010 at Makuhari, Chiba, Japan)

©2009. Japan Geoscience Union. All Rights Reserved.



AAS004-07 会場: 101

時間: 5月28日10:45-11:00

雨量計に基づいた日降水プロダクトAPHRO_PRのためのグリッド化手法の改良について

Improvement of interpolation schemes for APHRO_PR, a high-resolution daily precipitation product based on rain-gauge

上口 賢治^{1*}, 荒川 理¹

Kenji Kamiguchi^{1*}, Osamu Arakawa¹

1気象研究所

¹Meteorological Research Institute

Long-term and high-resolution grid precipitation product is highly demanded by meteorological or hydrological fields, because it is indispensable for evaluation of high-resolution climate models, trend analysis of precipitation extremes caused by Global Warming, budget analysis of water circulation, and so on. Many precipitation products have already issued, though many of these are insufficient in temporal and spatial resolution or length of the period for such analysis. Therefore, we started a APHRODITE project to develop historical (1961-) daily precipitation products (APHRO_PR) with high-resolution grids (up to 0.25deg) covering the whole of Asia, based on rain gauge observation.

In this project, we have collected a huge number of rain-gauge data, most of which have not been available for public use. In addition, we have developed following new interpolation techniques. 1) Modified Shepard type interpolation considering topographical effect. 2) Catch-ratio correction of solid-form precipitation. Owing to the former scheme, precipitation distribution pattern is much improved especially in mountainous area, because of the new method calculates weight function with considering local topographical features to precipitation, while the original Shepard type scheme has no consideration without horizontal distance. In the latter scheme, correct ratio is derived by local wind speed and rain/snow distinction, which are calculated by atmospheric reanalysis data. This method decreases underestimation bias of winter precipitation amount in middle-high latitudes.

キーワード:降水量,観測データ,雨量計,気候モデル,地球温暖化,内挿手法

Keywords: precipitation, observation data, rain gauge, climate model, global warming, interpolation method