Japan Geoscience Union Meeting 2010

(May 23-28 2010 at Makuhari, Chiba, Japan)

©2009. Japan Geoscience Union. All Rights Reserved.



PEM027-P01

会場:コンベンションホール

時間: 5月24日17:15-18:45

環電流粒子ダイナミクスの自己無撞着な運動論的数値シミュレーション モデル

Self-consistent kinetic numerical simulation model for the dynamics of ring current particles

天野 孝伸^{1*}, 関 華奈子², 三好 由純², 梅田 隆行², 松本 洋介², 海老原 祐輔³, 齊藤 慎司²

Takanobu Amano^{1*}, Kanako Seki², Yoshizumi Miyoshi², Takayuki Umeda², Yosuke Matsumoto², Yusuke Ebihara³, Shinji Saito²

¹名古屋大学理学研究科, ²名古屋大学太陽地球環境研究所, ³名古屋大学高等研究院

¹Nagoya University, ²Nagoya University, ³Nagoya University

A new self-consistent model of the ring current particles in the inner-magnetosphere is presented. A system of nonlinear time-dependent equations is derived that includes the self-consistent coupling of the kinetic dynamics of particles and the field. The particle transport is described by a five-dimensional drift-kinetic equation. We have developed a numerical simulation code solving the five-dimensional drift-kinetic equation coupled with Maxwell equations. It is demonstrated that the propagation of MHD waves can successfully be described by the present model. We find that the self-consistent coupling could affect the transport of energetic particles as well as the ionosphere-magnetosphere coupling through field-aligned current.

キーワード:磁気圏,磁気嵐,環電流

Keywords: magnetosphere, geomagnetic storm, ring current