

U002-06

会場:国際会議室

時間: 5月27日13:45-14:15

## あかつき搭載LACによる雷放電および夜間大気光観測

Plans of lightning and airglow observation by LAC/Akatsuki

高橋 幸弘<sup>1\*</sup>, 星野 直哉<sup>2</sup>, 佐藤 光輝<sup>1</sup>, Yair Yoav<sup>3</sup>

Yukihiro Takahashi<sup>1\*</sup>, Naoya Hoshino<sup>2</sup>, Mitsuteru Sato<sup>1</sup>, Yoav Yair<sup>3</sup>

<sup>1</sup>北海道大学・宇宙理学専攻,<sup>2</sup>東北大学・地球物理学専攻,<sup>3</sup>イスラエル・オープン大学

<sup>1</sup>Dept. Cosmosciences, Hokkaido University, <sup>2</sup>Dept. Geophysics, Tohoku University, <sup>3</sup>Open University, Israel

Recently it is reported that the magnetometer on board Venus Express detected whistler mode waves whose source could be lightning discharge occurring well below the spacecraft. However, it is to early to determine the origin of such waves. On the other hand, night airglow is expected to provide an essential information on the atmospheric circulation in the upper atmosphere of Venus. But the number of consecutive images of airglow is limited and even the detail variations of most enhanced location is still unknown.

In order to identify the discharge phenomena in the atmosphere of Venus without ambiguity and to know the daily variation of airglow distribution in night-side disk, we plan to observe the lightning and airglow optical emissions with high-speed and high-sensitivity optical detector on board Akatsuki. We are ready to lanch the flight model of lightning and airglow detector, LAC: Lightning and Airglow Camera. Main difference from other equipments which have provided evidences of lightning existence in Venus is the high-speed sampling rate at 32 us interval for each pixel, enabling us to distinguish the optical lightning flash from other pulsing noises. In this presentation the observation strategies, including ground-based support with optical telescopes, are shown and discussed.

キーワード:金星,雷放電,夜間大気光, LAC,あかつき Keywords: Venus, lightning, airglow, LAC, Akatsuki