

BPO020-05

会場: 301B

時間: 5月25日14:40-14:55

## 石灰質有孔虫細胞内環境と石灰化過程

### Intracellular environment of carcaeous foraminifera and biomineralization

豊福 高志<sup>1\*</sup>, レナート=ヤン=ド・ノーイエ<sup>2</sup>, 野牧 秀隆<sup>1</sup>, 小栗 一将<sup>1</sup>, 土屋 正史<sup>1</sup>, 北里 洋<sup>1</sup>

Takashi Toyofuku<sup>1\*</sup>, Lennart Jan deNooijer<sup>2</sup>, Hidetaka Nomaki<sup>1</sup>, Kazumasa Oguri<sup>1</sup>,  
Masashi Tsuchiya<sup>1</sup>, Hiroshi Kitazato<sup>1</sup>

<sup>1</sup>海洋研究開発機構, <sup>2</sup>アルフレッドウェゲナー極域海洋研究所

<sup>1</sup>BioGeos, JAMSTEC, <sup>2</sup>Alfred Wegener Institute (AWI)

Foraminifera are one of the most important calcium carbonate producers in marine environment and their tests are commonly used to reconstruct various studies of paleoceanography. Even the foraminifera are belonging to unicellular organism, they can precipitate a well-decorated precise test as multicellular organisms. Their calcification mechanisms should be supported by some ingenious biological activity, however little is known about the intracellular control on carbonate precipitation. In particular, knowledge about control of calcium and carbonate ion concentrations in foraminiferal cells are of great interest, since these may have implications for a broad field of studies in paleoceanography. Here, we open a small but obvious new window to understanding the biomineralization of foraminifera by the application of fluorescent indicators. The development of fluorescent indicators allow us to visualize the chemical environment (e.g. pH and calcium concentrations) in living foraminiferal cell. Observed results show that foraminifera realize their biomineralization by fine controlling of intracellular environments. We believe the accumulation of these knowledge make new perspectives about foraminiferal test chemistry as paleoceanographic proxy.

キーワード: 有孔虫, 飼育, 石灰化, カルサイト

Keywords: foraminifera, culture, laboratory, calcification, ocean acidification, biomineralization