

BPO020-09

会場: 301B

時間: 5月25日16:00-16:15

サンゴ骨格の酸素同位体および微量元素を用いた最終間氷期の古海洋： 波照間島

Last Interglacial paleoceanography recorded in Porites corals from Hateruma Island, Japan.

横山 祐典^{1*}, 鈴木 淳², 宮入 陽介³, エサット テザー⁴, 川幡 穂高⁵

Yusuke Yokoyama^{1*}, Atsushi Suzuki², Yosuke Miyairi³, Tezer M. Esat⁴, hodaka kawahata⁵

¹東京大学 大気海洋研究所, ²産業技術総合研究所地質情報研究部門, ³東京大学大学院工学系研究科,
⁴オーストラリア 核物理学・工学研究所, ⁵東京大学 新領域創世科学研究科

¹AORI, University of Tokyo, ²Geological Survey of Japan, AIST, ³MALT, University of Tokyo,
⁴Australian Nucl. Sci & Tech Organization, ⁵Grad School Frontier Sci., Univ Tokyo

Well preserved fossil Porites corals were recovered from Hateruma Island, Japan to investigate paleoceanographic environments of the Western Pacific region. The corals were sampled from the Last Interglacial reef complex on the Island when sea-levels were 4-6 m higher than they are now. We present analytical results for d18O and d13C to reconstruct past hydrological settings in this region. The island is located in the Kuroshio pass and hence d18O is sensitive to changes in the ocean circulation patterns and/or precipitation in the Western Pacific. Four large Porites coral heads with growth rates ranging from 8mm/yr to 13mm/yr were analyzed for stable isotopes. Continuous records of 10 years or longer were recovered from each coral and the results compared to those previously reported from a similar modern reef currently growing at Ishigaki Island located nearby. Seasonal variations in d18O for the fossil corals are greater than those from the Ishigaki corals suggesting enhanced seasonal insolation in the northern hemisphere during the Last Interglacial.

This is consistent with previously reported results from the fossil reefs at Yonaguni Island (Suzuki et al., 2001). The d18O variations in Hateruma Island corals are likely to be mainly due to differences in the ocean circulation patterns of the Kuroshio current rather than to differences in local precipitation or climate.

キーワード:サンゴ骨格,古気候,古海洋,安定同位体,微量元素

Keywords: coral, paleoclimatology, palaeoceanography, stable isotope, trace element