Japan Geoscience Union Meeting 2010

(May 23-28 2010 at Makuhari, Chiba, Japan)

©2009. Japan Geoscience Union. All Rights Reserved.



SIT037-03

会場:展示ホール7別室2

時間: 5月27日11:15-11:30

DIA型変形装置を用いたマントル遷移層温度圧力条件下でのウォズリアイト・リングウッダイトの変形実験

Deformation Experiments of Wadsleyite and Ringwoodite at P-T Conditions of Mantle Transition Zone using D-DIA Apparatus

川添 貴章1*, 西山宣正1, 西原遊1, 大内智博1, 入舩徹男1

Takaaki Kawazoe^{1*}, Norimasa Nishiyama¹, Yu Nishihara¹, Tomohiro Ohuchi¹, Tetsuo Irifune¹

'愛媛大学

¹Ehime University

In order to perform deformation experiments of wadsleyite and ringwoodite at P-T conditions of the mantle transition zone, technical developments in high-pressure and high-temperature generation have been made adopting a recently devised multi-anvil 6-6 (MA 6-6) assembly with tungsten carbide (WC) anvils. Experiments were conducted at high pressures and high temperatures using a deformation-DIA (D-DIA) type cubic-anvil apparatus MADONNA-1500 and second-stage WC anvils with a truncated edge length of 3.0 mm. Generated pressures were evaluated at 1900-2000 K by phase transformations in compositions of San Carlos olivine and Mg_2 SiO₄forsterite to wadsleyite and ringwoodite, which are believed as the dominant minerals at the mantle transition zone. As a result, the pressure and temperature conditions available in a DIA-type cubic-anvil apparatus have been extended to 20 GPa and 2000 K.

Using the developed assembly with the D-DIA apparatus, uniaxial deformation experiments on wadsleyite and ringwoodite to strains of 9-15 % were achieved at 16-20 GPa and 1700 K and at strain rates of 3-6 x 10⁻⁵s⁻¹. Crystallographic orientations of the deformed polycrystalline ringwoodite were successfully analyzed by the electron backscatter diffraction technique (EBSD) and the analysis indicated that lattice-preferred orientation (LPO) was not well developed in the sample. In this study, the deformation experiments on wadsleyite and ringwoodite were succeeded at P-T conditions of the mantle transition zone and at controlled strain rates for the first time. The present study extended pressure range of deformation experiments in the D-DIA apparatus from 1 0 GPa in early studies to 20 GPa at high temperature corresponding to interior of the earth. The experimental results demonstrate potential of the present deformation system composed of the D-DIA apparatus and the MA 6-6 assembly as an important tool to investigate rheological properties of deep mantle minerals under the P-T conditions of the mantle transition zone. Moreover, we will introduce a plan to install the D-DIA guide block to the beamline BL04B1 of the synchrotron facility SPring-8 in order to determine a stress and a strain (and a strain rate) of a sample during deformation using X-ray diffraction and radiograph, respectively.

キーワード:変形実験,ウォズリアイト,リングウッダイト,マントル遷移層, DIA型変形装置, 6-6式加圧方式

Keywords: deformation experiment, wadsleyite, ringwoodite, mantle transition zone, D-DIA apparatus, multi-anvil 6-6 assembly