

AAS020-18

会場:102

時間:5月22日16:45-17:00

## Middle atmospheric winds observation from JEM/SMILES Middle atmospheric winds observation from JEM/SMILES

Philippe Baron<sup>1\*</sup>, Donal Murtagh<sup>2</sup>, Joachim Urban<sup>2</sup>, Hideo Sagawa<sup>1</sup>, Yasuko Kasai<sup>1</sup> Philippe Baron<sup>1\*</sup>, Donal Murtagh<sup>2</sup>, Joachim Urban<sup>2</sup>, Hideo Sagawa<sup>1</sup>, Yasuko Kasai<sup>1</sup>

<sup>1</sup>NICT, <sup>2</sup>Chamers Technical University, Sweden <sup>1</sup>NICT, <sup>2</sup>Chamers Technical University, Sweden

Middle atmospheric winds have been retrieved from the JEM/SMILES measurements. The winds, observed in the line of sight direction, are retrieved from the frequency shift of the intense and spectrally resolved atmospheric lines from  $O_3$  and HCl. Currently, data are available between 35 to 80 km but theoretical estimations indicate a sensitivity down to 20 km.

We will introduce the retrieval strategy and show comparisons of the measurements with data from meteorological analysis. Improvements of the retrieval algorithms will be discussed.

 $\neq - \nabla - F$ : SMILES, Stratosphere, Wind, Remote sensing Keywords: SMILES, Stratosphere, Wind, Remote sensing