

Japan Geoscience Union Meeting 2011

(May 22-27 2011 at Makuhari, Chiba, Japan)

©2011. Japan Geoscience Union. All Rights Reserved.



ACC028-11

会場:102

時間:5月24日 11:15-11:30

2010/2011年冬季の豪雪をもたらした北半球の大気循環異常 Heavy snowfalls in the winter of 2010/2011 as related to the abnormal atmospheric circulation in the Northern Hemisphere

力石 國男^{1*}

Kunio Rikiishi^{1*}

¹ 弘前大学大学院理工学研究科

¹ Graduate School of Science and Technolog

The snowfall in the winter of 2010/2011 is characterized by the fact that we had abnormally heavy snowfalls in southern regions such as the western part of Fukushima, the Hokuriku region and the San-in region, rather than in Hokkaido. The snowfalls were apparently caused by the atmospheric circulation driven by the pressure patterns in which lows were pushed towards the west of the Seas of Okhotsk or Japan, or placed in the relatively southern latitudes. On inspecting the daily weather charts, it has been found that these pressure patterns were realized by the westward migration of the pressure system in higher latitudes in the Far East region.

キーワード: 豪雪, 気圧配置, 大気循環

Keywords: heavy snowfall, pressure pattern, atmospheric circulation