

ACG004-19

会場:104

時間:5月27日11:15-11:30

気候変動の影響を考慮した日本の河川における土砂負荷量の将来予測 Future projection of potential suspended sediment load in Japanese rivers under climate change

賀 斌^{1*}, 寶 馨¹, 立川 康人², 羅 平平³, 劉 彦³, 山敷 庸亮¹ Bin He^{1*}, Kaoru Takara¹, Yasuto Tachikawa², Pingping Luo³, Yan LIU³, Yosuke Yamashiki¹

¹ 京都大学・防災研究所,² 京都大学・工学研究科,³ 京都大学・大学院 ¹Kyoto University, DPRI, ²Kyoto University, Dep.Urb.Env., ³Kyoto University, Grad. Sch. of Civil Eng

Suspended sediment concentrations (SSCs) affect river water quality and can be a threat to aquatic life. Moreover, the annual rate of reservoir storage capacity loss to sedimentation in the world is 0.5?1%, and it varies dramatically for different river basins due to their forest cover and geological conditions. Therefore, estimation of SSCs is essential for characterizing water quality and water resources management. In this study, the total amount of suspended sediment load carried by Japanese streams is discussed. Firstly, the relationships between suspended sediment load and hydrogeography were examined by analyzing river water SSCs observation data at about 400 agricultural and forest watersheds in Japan. Suspended sediment transport was found to be importantly affected by changes in river discharge and watershed characteristics. Then, multiple regression models were built to test the national scale estimation for the indicator of SSCs. The resulted estimation of SSCs provided satisfactory simulations in terms of the selected performance criteria comparing well with the observed SSCs. Finally, the potential suspended sediment load in Japanese rivers under climate change was estimated by considering the future changes of river discharges simulated by a national scale distributed rainfall-runoff hydrological model. The temporal and spatial distribution of suspended sediment load in Japan was then evaluated under future climate change scenarios.

キーワード: 気候変動, 河川, 土砂 Keywords: Climate change, River, Sediment