

ACG033-P04

会場:コンベンションホール

時間:5月25日 10:30-13:00

## 北極振動指数と関連した傾圧不安定の変動：正のフィードバックの理論的証明 Modification of the Baroclinic Instability associated with AO Index: A Theoretical Proof of the Positive Feedback

関 佐和香<sup>1\*</sup>, 田中博<sup>2</sup>

Sawaka Seki<sup>1\*</sup>, Hiroshi L. Tanaka<sup>2</sup>

<sup>1</sup> 筑波大学大学院生命環境科学研究科, <sup>2</sup> 筑波大学計算科学研究センター

<sup>1</sup>Environmental Science, Univ. Tsukuba, <sup>2</sup>CCS, Univ. Tsukuba

The modification of the baroclinic instability associated with positive and negative Arctic Oscillation Index (AOI) is theoretically investigated using a linearized 3D spectral primitive equation model.

According to the observational analysis, the AOI tends to be positive due to the enhanced northward eddy momentum flux by the transient baroclinic waves which intensify the polar jet in high latitudes and weaken the subtropical jet. Conversely, the AOI tends to be negative when the eddy momentum flux becomes southward in high latitudes causing weaker polar jet and stronger subtropical jet.

In this study the baroclinic instability problem is solved for zonal mean basic states for AOI positive and negative cases by adding and subtracting AO patterns of the zonal mean winds onto the normal basic state. The linear instability analysis shows that the most unstable Charney mode  $M_C$  changes its structure to intensify or weaken the polar jet by the eddy momentum flux associated with the positive or negative AOI. More importantly, the meridionally dipole Charney mode  $M_2$  is modified into the monopole Charney mode  $M_1$  (see Tanaka and Tokinaga 2002) to transport eddy momentum flux northward under the positive AOI condition. It is found that this modification is essential to intensify the polar jet during the AOI positive phase. Hence, we have theoretically confirmed that there are positive feedbacks between the baroclinic instability waves and the Arctic Oscillation characterized by the intensity of the polar jet.

キーワード: 北極振動, 傾圧不安定, 3次元ノーマルモード

Keywords: Arctic Oscillation, Baroclinic Instability, 3 dimensional normal mode