

PEM005-35

Room:303

Time:May 27 15:55-16:10

## Morning-afternoon asymmetry of geosynchronous magnetic field

Khan-Hyuk Kim<sup>1\*</sup>, Jong-Sun Park<sup>1</sup>, Dong-Hun Lee<sup>1</sup>

<sup>1</sup>School of Space Research, Kyung Hee Univ

The present study examines the morning-afternoon asymmetry of the geosynchronous magnetic field strength on the dayside (MLT = 06-18 hours) using observations by the GOES satellites over a period of 9 years from February 1998 to January 2007. During geomagnetically quiet intervals (Kp < 3), we observed that a peak of the magnetic field strength is skewed toward the earlier local times (MLT = ~11.1-11.6) with respect to local noon and that the geosynchronous field strength is larger in the morning sector than in the afternoon sector. That is, there is the morning-afternoon asymmetry of the geosynchronous magnetic field strength. We found that the peak location of the magnetic field strength is shifted toward the earlier local times as the ratio of the magnetic field strength at MLT = 18 (B-dusk) to the magnetic field strength at MLT = 06 (B-dawn) is decreasing. It is also found that the dusk to dawn B field ratio, B-dusk/B-dawn, is decreasing as increasing solar wind dynamic pressure. The morning-afternoon asymmetry of the magnetic field strength appears in Tsyganenko geomagnetic field model (TS-04 model) when the partial ring current is included in TS-04 model. Unlike our observations, however, TS-04 model shows that the peak location of the magnetic field associated with the magnetopause current, strongly affected by the solar wind dynamic pressure in TS-04 model. Thus, our observations suggest that the contribution of the partial ring current at geosynchronous orbit is much larger than that expected from TS-04 model as the solar wind dynamic pressure increases.

Keywords: morning-afternoon asymmetry, geosynchronous magnetic field, partial ring current