

PEM032-P05

## 会場:コンベンションホール

時間:5月27日10:30-13:00

## GPS-TEC トモグラフィを用いて、ヨーロッパ地域の電離層夜間電子密度増大現象の 研究 The Ionospheric Nighttime Electron Density Enhancement by 3D Tomography Method around European Region

陳佳宏<sup>1\*</sup>, 齊藤昭則<sup>1</sup>, Lin Charles<sup>2</sup>, 劉正彦<sup>3</sup> Chia Hung Chen<sup>1\*</sup>, Akinori Saito<sup>1</sup>, Charles Lin<sup>2</sup>, Jann-Yenq Liu<sup>3</sup>

1京都大学大学院理学研究科,2台湾成功大学,3台湾中央大学

<sup>1</sup>Kyoto University, Japan, <sup>2</sup>National Cheng Kung University, Taiwan, <sup>3</sup>National Central University, Taiwan

The nighttime electron density enhancement of the Earth's ionosphere is characterized by the greater electron density in the nighttime than that in the daytime. Recently, this anomaly feature has intensely been studied by using satellite observations and model simulations. Results show that there are three obvious nighttime electron density enhancement regions around South American, European, and Northeast Asian. The 3D tomography method, employs GPS data observed by an network of dual-frequency GPS receivers, is used in this study to study the three-dimensional structure of the nighttime electron density enhancement around European region, where covers a lot of GPS receivers. Furthermore, we compare with the tomography results and the SAMI2 (Sami2 is Another Model of the Ionosphere) model simulation results. The results will be shown in the poster.

Keywords: 3D tomography, nighttime electron density enhancement, GPS-TEC