

SEM036-13

会場:301B

時間:5月26日17:30-17:45

横浜市南部に分布する上総層群大船層に記録されたオルドバイ上限境界における地 磁気変動

An upper Olduvai polarity transition record from the Ofuna Formation, Kazusa Group, in Yokohama, central Japan

楠 稚枝^{1*}, 岡田 誠², 鴨志田 健伍¹, 野崎 篤¹, 間島 隆一¹ Chie Kusu^{1*}, Makoto Okada², Kengo Kamoshida¹, Atsushi Nozaki¹, Ryuichi Majima¹

1 横浜国立大学, 2 茨城大学

¹Yokohama National University, ²Ibaraki University

We report a detailed geomagnetic record including direction and proxies of paleointensity at around the upper Olduvai polarity transition from an on-land core, named as Core-I, drilled by Yokohama National University at Segami, southern part of the Yokohama City. The 105 meters length core covers a part of the Ofuna Formation, Pleistocene marine sequence, consisting of massive siltstone intercalating ash and thin sand layers. Two ash layers detected at depths of 9 and 27 meters below the surface have been correlated with Kd38 and Kd39 respectively, which are key tephras recognized in Japan as indicating ages just above the upper Olduvai boundary.

1-inch diameter mini-cores were taken for paleomagnetic and rock-magnetic measurements using a core-piker at 452 stratigraphic levels from Core-I between 75 and 105 meters with intervals of 2 to 10 cm thickness. Measurements for stepwise alternating filed demagnetization (AFD) from 5 mT up to 60 mT with 5 mT steps, anisotropy of magnetic susceptibility (AMS), and anhysteretic remanent magnetization (ARM) were conducted for specimens at all the 452 levels, and stepwise thermal demagnetization were done for selected 30 specimens. As the results, at most of the specimens, secondary components were removed up to 25 mT and/or 250 degree C levels and characteristic remanent magnetization (ChRM) components were extracted. The upper Olduvai polarity transition was detected between 82 and 87 meters corresponding with a 7 kyrs time span between 1784Ka and 1777Ka, which were derived by an age model using oxygen isotopic analyses.

キーワード: 古地磁気, 地磁気反転, オルドバイ正磁極亜期, 地磁気強度変化

Keywords: paleomagnetism, geomegnetic polarity transition, Olduvai subchron, geomagnetic paleointensity