

U004-01

Room:304

Time:May 26 10:45-11:05

How to construct "science commons" together

Shuichi Iwata^{1*}

¹The University of Tokyo

1. Introduction

In order to get a solid foundation for constructing "scientific commons", we need to evaluate the feasibility with respect to physical, engineering, economical, social/cultural and political aspects and to make a well-balanced collaborative frameworks for experts to work together. Physical and engineering feasibilities to deal with huge, various kinds of multi-disciplinary data balancing quality of data and data services from data capture to open access by taking advantage of available e-infrastructure have been enlarged quantitatively thanks to evolutions of ICT (Information and Communication Technology). However, such qualitative and semantic issues as data models, standardization, metadata/ontology, qualification of analysis tools and also legal/economic issues like open access, IPR and collaboration schema of different stakeholders have been remaining timeless subjects not so easy to overcome for us all. In this paper, the latter challenging issues are briefly discussed for productive collaborations.

2. Can we set out the guidelines for collaboration?

The process of establishing an inventory of data sets-scientific commons- with an open and inclusive manner for everyone requires us to share an image of wholeness on the final outcome, where and when we need to be flexible and adaptive for the spontaneous evolution of the inventory. We need to work with "neighborhoods" with practical information infrastructures to interact successfully with one another, and to form successful wholes. The necessary guidelines which allow infrastructures for all committed members or stakeholders are to be designed, used and maintained. The infrastructures are expected to give all members "comfortable", "healthy" and "pleasant" space for communication with neighborhoods, and some experts call them "Cloud" which is something beyond traditional information systems and web-based systems.

Many scientists are struggling to manage fresh and ever-growing data of diversity and depth by taking advantage of complex ICT. Databases are as valuable as the quality of the data they store, but there is a problem who pays for the quality. In the now-days business world, data warehousing are common approaches to improve business information systems, often under labels like CRM, ERP and Supply-chain management, but scientific data are thought in principle as public goods to be shared by everyone. Externalizing data has implications on data access, security, timeliness and availability thus data quality and interoperability may be expected to encompass. There a data governance function is to be established with a recognition of the above important aspects for data services, but the data and information quality require intensive commitments and interactions of data producers and data users coordinated by data service experts.

Into modern architectural concepts such as cloud computing and/or other data services, available data resources are to be re-implemented inheriting valuable contents with a harmonization to the continuously added new data in an ecological and sustainable manner. The deep philosophical semantics and structure in things and processes are to be concerned, which is responsible for the human connection in the world. It requests the origin of the spiritual human dimension to work together with virtual neighborhoods in terms of which gives each person a solid underpinning for step by step actions towards these difficult realms.

3. Our Role

Today people have agreed to enhance cooperation on climate change, clean energy, and the environment overcoming many discrepancies and conflicts in the world, where we need to share high quality data for fruitful discussions and consequent actions. Data activities have become more and more important, and we scientists are expected to contribute to our society through close collaboration to create "science commons" together.

Keywords: database, knowledge infrastructure, CODATA, commons, academic collaboration, data activity

Japan Geoscience Union Meeting 2011

(May 22-27 2011 at Makuhari, Chiba, Japan)

©2011. Japan Geoscience Union. All Rights Reserved.



U004-02

Room:304

Time:May 26 11:05-11:25

ICSU World Data System

Takashi Watanabe^{1*}

¹STELAB, Nagoya University

The ICSU World Data System (WDS) has been created through a decision of the 29th General Assembly of the International Council for Science (ICSU) held in October 2008. WDS builds on the 50-year legacy of the ICSU World Data Centre system (WDC) and the ICSU Federation of Astronomical and Geophysical data-analysis Services (FAGS), but WDS will cover wider disciplines ranging from natural sciences to social sciences. Goals of WDS are (from the Constitution of WDS):

- * Enable universal and equitable access to scientific data and information
- * Ensure long term data stewardship for ICSU programs
- * Define agreed data standards
- * Establish and oversee the procedures for the review and accreditation of existing and new WDS facilities
- * Facilitate better access to data
- * Strive for simpler access to data
- * Provide quality-assured data and information
- * Reduce the digital divide

The WDS Scientific Committee (WDS-SC) has been appointed by ICSU to implement and administer the activities of the WDS. In early 2011, WDS-SC will accept applications from data centers to be members of WDS (<http://icsu-wds.org/>). The WDS International Program Office (WDS-IPO) will be established in Japan at National Institute of Communications Technology (NICT) in FY 2011. The WDS Conference, which will be the first international meeting of WDS, will be held in Kyoto, on 3-6 September 2011 (<http://wdc2.kugi.kyoto-u.ac.jp/wds2011/>).

Keywords: ICSU, Data, international collaboration

Japan Geoscience Union Meeting 2011

(May 22-27 2011 at Makuhari, Chiba, Japan)

©2011. Japan Geoscience Union. All Rights Reserved.



U004-03

Room:304

Time:May 26 11:25-11:45

ICSU World Data System: Hosting International Programme Office in Japan

Yasuhiro Murayama^{1*}, Ken T. Murata¹, Mamoru Ishii¹, Narihisa Doi², Shuichi Iwata³, Takashi Watanabe⁴, Toshihiko Iyemori⁵, Hideki Kashioka¹, Toshio Iguchi¹, Hiroshi Kumagai¹

¹Natl. Inst. of Info. Communications Tech., ²Keio University, ³University of Tokyo, ⁴Nagoya University, ⁵Kyoto University

World Data System (WDS) of ICSU (International Council for Science) was decided to be newly established at the ICSU General Assembly in 2008, incorporating legacy of WDS (World Data Center) system and FAGS (Federation of Astronomical and Geophysical data-analysis Services) services. The new system aims at creation of a common globally interoperable distributed data system, or a system of data systems. NICT (National Institute of Information and Communications Technology) of Japan offered hosting International Programme Office (IPO) of WDS in response to ICSU's announcement to call for an institute hosting WDS-IPO. The ICSU Executive Board decided to accept the offer at its meeting in the end of October 2010. The WDS-IPO will manage and coordinate the establishment and operations of the WDS, and take responsibility for outreach and promotion activities. The IPO will act under the guidance of the ICSU World Data System Scientific Committee. Also NICT is proposing a technical contribution to WDS, incorporating NICT's potential of network and information system technology, as well as legacy of data archiving activities including NICT's original atmospheric, ionospheric, and other radio science/space physics databases. In the paper NICT's perspective will be reviewed to targeting cooperation with Japanese science data community as well as the world wide community of WDS and related bodies.

Keywords: ICSU, WDC, WDS, science information, data

U004-04

Room:304

Time:May 26 11:45-12:05

Introduction for the data integration and analysis system (DIAS)

Toshio Koike^{1*}

¹The University of Tokyo

Data Integration and Analysis System (DIAS) was launched in 2006 as part of the Earth Observation and Ocean Exploration System, which is one of five National Key Technologies defined by the 3rd Basic Program for Science and Technology of Japan. The mission of DIAS is:

- to coordinate the cutting-edge information science and technology and the various research fields addressing the earth environment;
- to construct data infrastructure that can integrate earth observation data, numerical model outputs, and socio-economic data effectively;
- to create knowledge enabling us to solve the earth environment problems; and
- to generate socio-economic benefits.

It is expected that there will be a large increase in the volume and diversity of earth observations from inhomogeneous data sources during the next decade. DIAS is developing a core system for data integration and analysis that includes the supporting functions of life cycle data management, data search, information exploration, scientific analysis, and partial data down-loading.

For improving data interoperability, DIAS is developing a system for identifying the relationship between data by using ontology on technical terms and ideas, and geography. DIAS also is acquiring data base information from various sources by developing a cross-sectoral search engine for various data bases.

Keywords: Earth observation data, Data Integration, Information Fusion, Large data storage system, Ontology

U004-05

Room:304

Time:May 26 12:05-12:25

The Space Physics Archive Search and Extract (SPASE) Project and the Heliophysics Data Environment

Todd King^{1*}, James R. Thieman², D. Aaron Roberts³

¹IGPP/UCLA, ²Code 690.1, NASA/GSFC, ³Code 672, NASA/GSFC

The Heliophysics division of NASA has adopted the Space Physics Archive Search and Extract (SPASE) Data Model for use within the Heliophysics Data Environment which is composed of virtual observatories, value-added services, resident and active archives, and other data providers. The size of the data sets and the overall data environment has increased tremendously over the past few years. The SPASE Data Model provides a unifying metadata approach to this complex environment. SPASE has also been adopted by the Canadian Space Science Data Portal (CSSDP), NOAA's National Geophysics Data Center (NGDC), and recently by Japan's Inter-university Upper atmosphere Global Observation NETwork (IUGONET). Europe's HELIO project harvests information from SPASE descriptions of resources. The Planetary Plasma Interactions (PPI) Node of NASA's Planetary Data System (PDS) is working to map planetary metadata to SPASE for cross-system exchange. All of the data sets in the Heliophysics Data Environment are intended to be described by the SPASE Data Model. Many have already been described in this way. The current version of the SPASE Data Model (2.2.0) may be found on the SPASE web site at <http://www.spase-group.org>. SPASE data set descriptions are not as difficult to create as it might seem. Help is available in both the documentation and the many tools created to support SPASE description authors. There are now a number of very experienced users who are willing to help as well. The SPASE consortium has advanced to the next step in the odyssey to achieve well-coordinated federation of resource providers by designing and implementing a set of core services to facilitate the exchange of metadata and delivery of data packages. An example is the registry service database shown at <http://vmo.igpp.ucla.edu/registry>. SPASE also incorporates new technologies that are useful to the overall effort, such as cloud storage. A review of the advances, uses of the SPASE data model, and role of services in a federated environment is presented.

Keywords: SPASE, metadata, heliophysics, interoperability, informatics

Japan Geoscience Union Meeting 2011

(May 22-27 2011 at Makuhari, Chiba, Japan)

©2011. Japan Geoscience Union. All Rights Reserved.



U004-06

Room:304

Time:May 26 12:25-12:45

WMO Information System

Eizi TOYODA^{1*}

¹Japan Meteorological Agency

The World Meteorological Organization (WMO) is working to organize the WMO Information system (WIS), which is the single coordinated global infrastructure responsible for the telecommunications and data management functions of all programs of WMO. It will be core component of the GEOSS Information System of Systems for weather, water, climate.

According to agreement in the Fifteenth World Meteorological Congress in 2007, WIS is developed in two parallel parts. The Part A is evolution of the Global Telecommunication System (GTS), which has served for time-critical and operation-critical data since 1960s. The Part B is newly-extended information services through flexible data discovery, access, and retrieval to authorized users, as well as flexible timely delivery services.

The WIS network consists of three kinds of centers: the Global Information System Centre (GISC) relays data for global distribution, and centralizes metadata of entire WIS to provide online catalog (clearinghouse); the Data Collection and Product Centre (DCPC) is a hub of regional data distribution and/or provider of specialized product; and all WMO members operates the National Centre (NC). Technical developments for online catalog involves ISO 19115 standard, OAI-PMH and SRU protocols.

This talk will also present lessons from experiences in Japan Meteorological Agency.

Keywords: Meteorology, WMO, Telecommunication, Clearinghouse, Metadata, GEOSS

U004-07

Room:304

Time:May 26 14:15-14:35

The state of polar data management; the IPY experience

Masaki Kanao^{1*}, Akira Kadokura¹, Masaki Okada¹, Takashi Yamanouchi¹, Natsuo Sato¹

¹National Institute of Polar Research

The International Polar Year (IPY 2007-2008) was the world's most diverse international science program. It greatly enhanced the exchange of ideas across nations and scientific disciplines. This sort of interdisciplinary exchange helped us to understand and address grand challenges such as rapid environmental change and its impact on society. The scientific results from IPY only now begin to emerge, but it is clear that deep understanding will require creative use of myriad data from many disciplines. Japan established a national committee for the IPY 2007-2008 in the Science Council of Japan in 2004. A total of 63 projects endorsed by the IPY/IPO (International Program Office) had been planned with Japanese participants. Many of the projects are still under serving as a coordinating platform for post-IPY activities. In the Science Meta-Data Base (SMDB) in the National Institute of Polar Research, Japan (NIPR), a total of 148 metadata sets were accumulated so far with regard to the IPY. Metadata relating to the above IPY endorsed projects, together with other Japanese original and international projects, have been compiled to the IPY Portal in the GCMD (Global Change Master Directory) in NASA (National Aeronautics and Space Administration). In the IPY Portal of GCMD, a total number of metadata descriptions (DIFs: Directory Interchange Format) is more than 90. In the Science Meta-Data Base in the National Institute of Polar Research, Japan (SMDB/NIPR), a total of 148 metadata sets were accumulated so far. The format of metadata is original one, but it includes the items listed in DIFs of AMD (Antarctic Master Directory). There are also links to the corresponding metadata in the AMD for each metadata of the SMDB/NIPR. The SCAR data and information management have worked strongly with the IPY community, and subsequently with the Polar Information Commons (PIC) to help establish the framework for long-term stewardship of polar data and information.

Keywords: International Polar Year, data management, national data center, Antarctic/Arctic Master Directory, SCAR/IASC, Polar Information Commons

U004-08

Room:304

Time:May 26 14:35-14:55

International standards and the testbeds for multi dimensional geoinformation

Ryoichi Kouda^{1*}

¹ AIST

The technological development of information processing enables the direct treatment of multi dimensional geoinformation as well as two dimensional system to be projected into GIS. World cooperation has been devoted to create the international standards and the testbeds. We review the various disclosures of world geoinformation through the web and supporting international standards with related metadata like as GML and GeoSciML as well as testbeds like One Geology to consider the contribution to the earth and planetary science by the recent trend.

Keywords: Multi dimensional data, geoinformation, international standard, metadata, testbed

U004-09

Room:304

Time:May 26 14:55-15:15

Activities for the development of Global Map Version 2

Takayuki Nakamura^{1*}, Hidehisa Takahashi¹, Takeshi Iimura¹, Noriko Kishimoto¹, Miho Takagi¹, Shuhei Kojima¹, Masaki Suga¹

¹GSI of Japan

The Global Mapping Project aims to develop a Global Map through international cooperation of National Mapping Organizations (NMOs) of the world. Global Map is composed of basic geospatial datasets in 1km resolution, covering the whole land area of the globe with consistent specifications. The data consist of eight thematic layers: boundaries, drainage, transportation, population centers, elevation, land use, land cover and vegetation. Global Map Version 1 was released in 2008. The data cover the whole land area of the globe and are used in various fields, namely climate change, disaster, biodiversity, and education, etc.

Global Map data are updated every five years in order to continuously monitor the changes of global environment. Currently Global Map Version 2 data development is underway with a target completion date of 2012. The Version 2 data adopt the data format compliant to ISO (GML3.2.1) and metadata, and several data items and attributes are added to the data. This revision on the specifications was made for the better use of the Global Map data. Serving as the secretariat of the International Steering Committee for Global Mapping (ISCGM), Geospatial Information Authority of Japan (GSI) support the data development by preparing a manual for the data development, metadata editor, and a tool for the data check, among other activities.

At the presentation, the outline of Global Mapping Project and the activities for the development of Version 2 data are reported.

Keywords: Global Mapping Version2, GML, Global Mapping Project, specifications

U004-10

Room:304

Time:May 26 15:15-15:35

Virtual Observatory in Astronomy: Its Construction and Outputs

Masatoshi Ohishi^{1*}, Yoshihiko Mizumoto¹, Yuji Shirasaki¹, Yutaka Komiya¹

¹NAOJ

Astronomical research utilizes multi-wavelength data that are taken by various ground-based observatories scattered in the world and space-based observatories. Although it has been well known that it is essential to federate such multi-wavelength data, an infrastructure toward realizing the federation was poorly made in the past.

Astronomical Virtual Observatory can be defined as follows: "a collection of integrated astronomical data archives and software tools that utilize computer networks to create an environment in which research can be conducted". Towards a real federation, major astronomical observatories in the world have collaborated in defining standardized protocols and in constructing each virtual observatory. Consequently, as of January 2011, more than 10,000 resources can be accessed from Japanese Virtual Observatory (JVO) that was constructed at the National Astronomical Observatory of Japan (NAOJ). It should be stressed that many astronomical papers were published by using the VOs in the world.

The JVO system has been upgraded continuously. Recently we have implemented the JVOsky system that visualizes observed images and observed data by using the Google API. Further we have experimentally implemented a scalable distributed data analysis system by means of the Hadoop, demonstrating that the net data processing efficiency is some 70 times faster than a single-machine case.

Keywords: Multi-wavelength Astronomy, Database, Information Infrastructure System

U004-11

Room:304

Time:May 26 15:35-15:55

A challenge to development of long-term archive for space science data at ISAS/JAXA

Iku Shinohara^{1*}, Keiichi Matsuzaki¹, Yukio Yamamoto¹, Ken Ebisawa¹

¹ISAS/JAXA

At ISAS/JAXA, the public service of scientific spacecraft data download via the Internet for space science research community has started since 1998. The ISAS/JAXA's scientific missions cover extensive fields of space science, e.g. astronomy (X-ray, infrared, radio), solar physics, solar-terrestrial physics, and planetary sciences. At present, datasets from 12 mission projects launched after 1987 archived in the database system, namely, DARTS (Data ARchives and Transmission System). Since major subject of the data service has been the project team use, missions under the operation/development had higher priority of data service implementation. Consequently, the information acquired from the service is sometimes not enough for the general users because the system implicitly suppose the user's knowledge.

However, in recent years, since some missions unexpectedly continues the operation for a long period or terminated, the perpetuation of datasets or the development of a long-range-data archive becomes a challenge to be solved before the loss of all the important information for the data usage. The collection of the information is also necessary for any users in future. We have begun the activity to achieve the long-term archive of space science data in DARTS, surveying scientific and/or technical backgrounds of each science community in space science. We will present our activity concerning the long-term archive and discuss problems around the data.

Keywords: space science data, data archive

U004-12

Room:304

Time:May 26 15:55-16:15

Inter-university Upper atmosphere Global Observation NETwork (IUGONET)

Hiroo Hayashi^{1*}, Yukinobu Koyama², Tomoaki Hori³, Yoshimasa Tanaka⁴, Masato Kagitani⁵, Atsuki Shinbori¹, Takahisa Kono³, Daiki Yoshida², Shuji Abe⁶, Satoru UeNo⁷, Naoki Kaneda⁷

¹RISH, Kyoto Univ., ²DACGSM, Kyoto Univ., ³STE Lab., Nagoya Univ., ⁴National Institute of Polar Research, ⁵PPARC, Tohoku Univ., ⁶SERC, Kyushu Univ., ⁷Kwasan & Hida Observatories, Kyoto Univ.

The upper atmosphere is considered as a compound system consisting of the mesosphere, thermosphere, ionosphere, and magnetosphere. Although the different atmospheric layers are often referred to as independent regions, they are closely coupled by exchange of materials, momenta, and energies through complicated physical processes. To examine the mechanism of long-term variations in the upper atmosphere, we need to combine various types of ground-based observations made at different locations and altitudes. Each database of such observations, however, has been maintained and made available to the community by each institution that conducted the observations. That is one of the reasons why those data have been used only for studies of specific phenomena. For the same reason some of the observational data have been used by only researcher groups who were involved in the observation campaign and are not easily accessible from the other researchers.

A six-year research project, Inter-university Upper atmosphere Global Observation NETwork (IUGONET), started in 2009 to overcome such problems of data use by the five Japanese research institutes (NIPR, Tohoku Univ., Nagoya Univ., Kyoto Univ., and Kyushu Univ.) that have been leading ground-based observations of the upper atmosphere for decades. We are collaborating to build a database system for the metadata of various kinds of observational data acquired by the global network of radars, magnetometers, optical sensors, helioscopes, etc. The metadata database (MDB) will be of great help to researchers in efficiently finding and obtaining various observational data we have accumulated over many years. The MDB system will significantly facilitate the analyses of a variety of observational data, which we believe will lead to more comprehensive studies of the mechanisms of long-term variations in the upper atmosphere. Moreover, we expect that researchers will become familiar with not only data in their area of expertise but also data from different disciplines by using the MDB. This could promote new interdisciplinary studies of earth and planetary sciences.

The outline of the IUGONET project, along with the current development status and future plan, will be presented.

Keywords: metadata, database, analysis software, upper atmosphere, ground-based observation, interdisciplinary study

Japan Geoscience Union Meeting 2011

(May 22-27 2011 at Makuhari, Chiba, Japan)

©2011. Japan Geoscience Union. All Rights Reserved.



U004-13

Room:304

Time:May 26 16:30-16:50

Cryosphere Data Archive Partnership (CrDAP)

Hironori Yabuki^{1*}, Haruko Kawamoto¹, Hideyuki Kitabata¹

¹RIGC, JAMSTEC

The Eurasian cryosphere is an important element of an earth climate system, glacier, frozen ground and snow elements such as large fluctuations in recent years has been focused. IPCC AR-4 Report also describes a number of following and is especially great concern about the social impact. Now in the world snow and ice data are promoted the development by the data center of the United States such as NSIDC (National Snow and Ice Data Center) and NCDC (National Climate Data Center). The actual condition is that frozen ground and snow data does not have an international organization about the data of WMO etc., and present condition grasp and change research do not often become since the international and systematic data archive is very weak. For a better understanding of cold regions of Eurasian cryosphere, it is important to share data over a large area. Eurasia cryosphere, especially in cold regions there are several countries, in order to understand the wide variations in the cryosphere are data management needs of international organizations. The IGOS-Cryosphere and IPY and also has been pointed out the need for it. GEOSS data archiving functions to help improve.

This project is to reveal the reality of global environmental change in Eurasian cryosphere, promoting data collection and catalog information to the public so far has not caught on, clarifying the status of past observations and their data, which aims to make the data public through widespread digitization of data. This project not only in Japan, for the cold regions of Eurasian country, as well as establish a system to promote the release of these data and published research to take over the observed data set, data catalogs and data to researchers widely provide a wake-up.

Keywords: Cryosphere, Database, Metadata

Japan Geoscience Union Meeting 2011

(May 22-27 2011 at Makuhari, Chiba, Japan)

©2011. Japan Geoscience Union. All Rights Reserved.



U004-14

Room:304

Time:May 26 16:50-17:10

Fundamental Geospatial Data and Digital Japan Web system

Hiroshi, P. Sato^{1*}, Yukiko Tachibana¹, Akira Sasagawa¹, Takenori Sato¹, Yo Iida¹, kyoko kitamura¹, Masashi Arai¹

¹GSI of Japan

Since 2007 fiscal year Geospatial Information Authority (GSI) of Japan has advanced nationwide development of Fundamental Geospatial Data (FGD) as the main policy of Basic Plan for the Advancement of Utilizing Geospatial Information. The FGD provide positional reference on a digital/electronic map, and consists of 13 items (road edge, building outline and others): GSI's homepage has delivered FGD at free cost since April in 2008. They are produced at the accuracy of map scale 1/2,500 and 1/25,000 within and outside of city planning area, respectively.

Digital Japan Web system served by GSI of Japan takes a browsing role on survey results, and anyone can superimpose geospatial information on the background map data like FGD. Furthermore, the map data are scrollable and scalable. Now GSI promotes usage of the system for national and local government offices and facilitates usage and distribution of geospatial information, base on the principles of Basic Act on the Advancement of Utilizing Geospatial Information.

On the day we will explain these outlines.

Keywords: Fundamental Geospatial Data, Digital Japan, GIS

U004-15

Room:304

Time:May 26 17:10-17:30

eSciences approach in Solid Earth Science

Seiji Tsuboi^{1*}, Yasuko Yamagishi¹, Katsuhiko Suzuki¹, Hajimu Tamura¹, Hiroshi Yanaka²

¹JAMSTEC, ²Fujitsu Ltd.

Recent progresses in observation equipments, analytical techniques and high performance computing technologies have produced huge amounts of geoscience data in various disciplines. However, the data acquisition tools and the data management applications are inherently different among research fields, which eventually produce different data formats even though the observed data might have similar attributes such as longitude, latitude and elevation. Those might be a large barrier to promote cross-disciplinary studies which could give us new insights into the Earth's dynamics. In this presentation, we introduce examples of eSciences approach in geosciences to handle this problem.

For multidisciplinary data visualization, it is needed to analyze each data format and to acquire a skill to use unfamiliar presentation tools which are not free in general. Here we propose Google Earth as the visualization platform. We have developed tools to help displaying various geoscience data on Google Earth. We have developed software to convert the original data files to a KML file, called "KML generator". These generators allow us to visualize various data together on Google Earth without any complicated procedures. We show KML generator for seismic tomography model as an example of our approach. Seismic tomography represents 3-D seismic velocity distribution in the Earth. Lateral heterogeneities of seismic velocity in the mantle are generally assumed to be correlated to temperature anomalies, which can be interpreted as a pattern of mantle convection. Our KML generator visualizes any vertical and horizontal cross sections of the mantle tomographic models, which is useful to understand mantle dynamics.

Our KML generator for seismic tomography model accepts users to submit their own tomography model at our website to generate KML file for their model. To submit tomographic model, we adapt JSON format, which is proposed as the common data format as tomography model by Federation of Digital Seismograph Network (FDSN). The FDSN is an IASPEI sanctioned organization that brings together the primary operators of broadband seismograph networks throughout the world. The FDSN has successfully acted as an effective organization to coordinate activities in data exchange by introducing Standard for Exchange of Earthquake Data (SEED). The FDSN has proposed data request method based on the email, which enables virtual network data center concept, and considered as a good example of eSciences application in solid earth science.

Keywords: Google Earth, eSciences, KMZ, seismic tomography

U004-16

Room:304

Time:May 26 17:30-17:50

NICT Science Cloud

Ken T. Murata^{1*}, Shinichi Watari¹, Tsutomu Nagatsuma¹

¹NICT

Main methodologies of Solar-Terrestrial Physics (STP) so far are theoretical, experimental and observational, and computer simulation approaches. Recently "informatics" is expected as a new (fourth) approach to the STP studies. Informatics is a methodology to analyze large-scale data (observation data and computer simulation data) to obtain new findings using a variety of data processing techniques.

At NICT (National Institute of Information and Communications Technology) we are now developing a new research environment named "OneSpaceNet". The OneSpaceNet is a cloud-computing environment, which connects many researchers with high-speed network (JGN: Japan Gigabit Network). It also provides the researchers rich resources for research studies, such as super-computer, large-scale disk area, licensed applications, database and communication devices. What is amazing is that a user simply prepares a terminal (low-cost PC). After connecting the PC to JGN2plus, the user can make full use of the rich resources via L2 network. Using communication devices, such as video-conference system, streaming and reflector servers, and media-players, the users on the OneSpaceNet can make research communications as if they belong to a same (one) laboratory: they are members of a virtual laboratory.

Keywords: NICT, Science Cloud

U004-P01

Room:Convention Hall

Time:May 27 10:30-13:00

Data Catalog Publication System in JAMSTEC

Yasunori Hanafusa^{1*}, Hideaki Saito¹, Mika Ichino¹, Satomi Minamizawa¹

¹JAMSTEC/DrC

Japan Agency for Marine-Earth Science and Technology (JAMSTEC) has developed the "JAMSTEC Data Catalog", which helps users to find comprehensively databases or datasets which publicize data obtained from JAMSTEC research activities.

JAMSTEC has explored global oceans especially deep sea, atmosphere, solid earth and biosphere and has also performed many kinds of simulations using High Performance Computers such as the Earth Simulator. JAMSTEC publicizes such data via databases specified by data types or data sites of research projects. For marine-earth observational data JAMSTEC has developed a web GIS based "JAMSTEC Data Search Portal" (J234-002, JpGU Meeting 2009), which enables users to search data by observational points or cruise tracks at single site. However there was no adequate search service to find a database or a dataset.

To handle metadata of databases and datasets in single manner the Data Research Center for Marine-Earth Sciences (DrC) adopted Directory Interchange Format (DIF) in the Global Change Master Directory (GCMD) of NASA as a metadata standard for JAMSTEC's databases and datasets which extend over various scientific categories. Designed to cover wide range of category DIF is suitable for JAMSTEC's metadata standard and also fit to be handled in information systems due to its XML format. DrC has compiled information on databases and datasets in JAMSTEC in DIF format and registered them to GCMD. At the same time DrC has also prepared Japanese version of those metadata in DIF format.

JAMSTEC Data Catalog is a web system which enables users to find and browse metadata in DIF format.

Data Catalog initializes a database system using pre-defined XML schema as a XSD file. When a metadata is registered, Data Catalog digests it into database and puts it to a full text search engine. Users can select metadata from hierarchical categories shown in a tree or a list style or search and narrow metadata by simple keyword search or complex search. Metadata have URL links leading users to databases or datasets and cross links to change the page languages. A data manager can select one or more terms for category classification from metadata schema.

Data Catalog is able to handle different metadata sets with other metadata schema than DIF. Registering metadata schema additionally DrC has developed on the same system the "Document Catalog" publishing cruise reports, technical reports and public relationship documents etc. and the "Geophysical Exploration Data Catalog" publishing single/multi-channel seismography data.

As of now Data Catalog disseminates mainly metadata of databases and data publishing sites in JAMSTEC. DrC is going to extend handling metadata to datasets of various research projects. Although a data manager registers metadata now, DrC is developing a metadata input tool which helps researchers to make metadata in DIF format both in Japanese and English by inputting information on a web interface by themselves.

Keywords: metadata, XML, schema, DIF

U004-P02

Room:Convention Hall

Time:May 27 10:30-13:00

Web-based visualization system connected with online database system for observation data obtained in JAMSTEC research

Yasuko Yamagishi^{1*}, Seiji Tsuboi², Hiroyuki Gonda³, Shuhei Kinoshita³, Hideaki Saito², Tomoaki Kitayama²

¹IFREE, JAMSTEC, ²DrCMES, JAMSTEC, ³Fujitsu Co. Ltd.

Japan Agency for Marine-Earth Science and Technology (JAMSTEC) has been accumulating observation data obtained in several research vessels belonging JAMSTEC. Various equipments are mounted on the research vessels, so various research data, e.g., geomagnetic data and gravity data, are obtained and accumulated. We take on responsibility for proving the observation data for scientists both in Japan and foreign countries. Database system for the observation data has been constructed and web GUI of it has been customized. Preview system of the data on Web directly connected with the database will help user to find the requirement data. For constructing the preview system, our project firstly started to develop the visualization system of the observation data, which will be stored into the database, on web platform. We successfully visualize the data on web browser by using Google Earth API. To visualize geographic data in Google Earth, the data should be written in Keyhole Markup Language (KML). We made the converter system from the observation data into KML as Java Servlet and web GUI for the system. Here, we have improved the web-based visualization system of the observation data. Search system of the data, kernel of the database system, is joined into the visualization system. Visualization has two steps of High and Low resolution. At first, user obtain low-resolution image of the selected data to obtain a certain amount of perspective of the observation results. Because some observation data are very large, it is difficult to smoothly visualize all of such data on Web. Next the data can be visualized at high resolution to understand the detailed observation results in selected area. These visual presentations will be very useful for users to select and acquire the observation data from the database system. By using this preview system, user can search and visualize the observation data on the same platform, so the preview system will improve the usability of the database system.

Keywords: visualization, database, observation data, research vessel, Google Earth API, web technology

U004-P03

Room:Convention Hall

Time:May 27 10:30-13:00

Approaches to Promoting Use of Data Integration and Analysis Products

Kazuyo Fukuda^{1*}, Mika Ichino¹, Ruri Funakoshi¹, Kooiti Masuda¹, Ikumi Akasaka¹

¹JAMSTEC

We at JAMSTEC (Japan Agency for Marine-earth Science and Technology) have developed and operated the following three websites 1) - 3) toward long-term sustainable services as part of the theme "Development of Technologies for Practical Use" of the DIAS (Data integration and Analysis System).

1) FlntAn (Fruit of Integration and Analysis)

[<http://www.jamstec.go.jp/drc/fintan/e/>] [Contact: dias-mng [at] jamstec.go.jp]

This is an informational website on the fruits of research and development work by the JAMSTEC under the DIAS. The applied themes include "Ocean & Fishery Resources," "Hydrological Cycle in Eurasian Cryosphere," "Hydrological Cycle in Monsoon Asia" and "Land Ecosystem." Among its research projects, "Ocean & Fishery Resources" involves ocean reanalysis data including their application to fishery resource research. "Hydrological Cycle in Eurasian Cryosphere" deals with Hydrological Process Data in Eurasia and Glacier Inventory Data. "Hydrological Cycle in Monsoon Asia" includes Gridded Precipitation Data of the Asian Region, West Sumatra Rader-Rain Gauge Integration Dataset, Monsoon Asian Heat and Water Balance Dataset, Typhoon Tracks During the Early 20th Century and Historical Rainfall Dataset in the Philippines. Lastly, "Land Ecosystem" provides research and data on the Link System Map of the Ecosystem. Under the theme Development of Technologies for Practical Use, it has conducted research and development into a system to widely disseminate the knowledge obtained through the research of the DIAS project, while providing the data integrated under the project. This website is an informational website which aims to introduce highly specialized data and knowledge based on the latest scientific research to more people in a more easily-understood manner, and encourage its utilization. In particular, the aim is to not only give stylized introductions regarding the data but to make an accessible website whose content can be readily understood, and to this end, columns and glossaries related to each of the research themes have also been prepared.

2) MAPS (My Atlas and Plot Service)

[<http://www.jamstec.go.jp/drc/maps/e/>] [Contact: dias-mng [at] jamstec.go.jp]

This is a system to provide the above-mentioned datasets. We launched the early website at 2007. We also investigated users' needs through an online questionnaire and through interviews regarding the types and quality of required data, data formats, website functions and so on. Accordingly this website has been remodeled with new datasets and new functions to meet users' needs since the fall in 2010. We have provided online mapping and plotting services with MapServer, and download services with functions of extracting digital data by selected attribute and of converting into another file type. These services provide a powerful visualization and analysis capabilities for the data products. The input items and forms in online questionnaire and Contact-Us page in our website have been refined to collect feedbacks and comments about the new website functions.

3) Inventory System of Hydroclimate Observation Data by Stations

[<http://www.jamstec.go.jp/rigc/mahadis/search>] [Contact: mahadis-info [at] jamstec.go.jp]

This is a system to provide inventory information of hydroclimate observation data by stations in the Asia-Pacific region and to share the information with users around the world. You can search by Data Source, Station Name, Data Source or WMO Station Number, Period, Latitude/Longitude, etc. and view search result in list view or map view. Additionally, you can download the search results in CSV format. Currently, the information of Monthly Bulletins of the Philippine Weather Bureau from 1907 to 1940 is available.

We will continue to make improvements in the future so that we can return the fruits of DIAS to everyone on a broad scale. Feel free to contact us using the contact information with any questions or requests for each website.