

## 中部山岳地域における積雪層中の化学成分濃度の変化 Changing of snow chemistry in the Japanese Alps

鈴木 大地<sup>1\*</sup>, 倉元 隆之<sup>2</sup>, 佐々木 明彦<sup>2</sup>, 鈴木 啓助<sup>2</sup>  
SUZUKI, daichi<sup>1\*</sup>, KURAMOTO Takayuki<sup>2</sup>, SASAKI Akihiko<sup>2</sup>, SUZUKI Keisuke<sup>2</sup>

<sup>1</sup> 信州大学理学部物質循環学科, <sup>2</sup> 信州大学山岳科学総合研究所

<sup>1</sup>Dept. Environ. Sci., Shinshu University, <sup>2</sup>IMS, Shinshu University

Various chemical materials were included in precipitation. Precipitated chemical materials have been stored in the snow layers before the start of snowmelt. Therefore, we get the atmospheric information in winter season from snowpack. We conducted the snow pit study, and the chemistry of snow layer was studied in detail. In this study, we aim to clarify characteristics of snow chemistry in the Japanese Alps. We conducted the sequential snow pit study during winter in Mt. Nisi-hodaka, the Japanese Alps. The snow pits were dug through the entire snowpack. We observed the cross-section of the snow pit to clarify snow conditions, which are snow stratigraphy, temperature, and density of snow. Afterwards we collected the snow samples. The snow samples were melted in a clean room. The pH and electric conductivity and concentrations of major ions were measured. Almost snow samples are acid snow (less than pH 5.62).