Japan Geoscience Union Meeting 2012

(May 20-25 2012 at Makuhari, Chiba, Japan)

©2012. Japan Geoscience Union. All Rights Reserved.



会場:101B



時間:5月20日09:30-09:45

2011 東北地方太平洋沖地震津波で形成された気仙沼湾のメガデューン Mega-dunes formed by the 2011 Tohoku-Oki tsunami at the Kesennuma Bay, Japan

原口 強^{1*},後藤 和久²,高橋 智幸³ HARAGUCHI, Tsuyoshi^{1*}, GOTO, Kazuhisa², TAKAHASHI, Tomoyuki³

¹ 大阪市立大学大学院理学研究科,² 千葉工業大学 惑星探査研究センター,³ 関西大学社会安全学部

¹Graduate School of Sciences,Osaka City University, ²Planetary Exploration Research Center, Chiba Institute of Technology, ³Faculty of Safety Science, Kansai University

The 2011 off the Pacific coast of Tohoku Earthquake was one of the largest events in the history of Japan. The huge tsunami (the 2011 Tohoku-Oki tsunami) inundated a large coastal area of northeastern Japan, causing widespread devastation. Twenty days after the tsunami, we analyzed the impact of the tsunami on the sea bottom of the Kesennuma inner bay using side-scan sonar and a depth sounder to explore the damage and bathymetric change in the harbor. Herein we present the first direct evidence that the sea bottom sediments of around 10?15 m were reworked by the tsunami to thickness of a few meters, and that large dunes were formed by the tsunami. Considering that the sea wave influence is as weak as it is inside the inner bay, the potential exists that even meter-thick sandy or silty paleo-tsunami deposits are preserved in shallow sea bottoms with large bedforms. This finding will be a steppingstone to future geological studies of tsunami effects in shallow sea regions.

キーワード: 東北地方太平洋沖地震津波, 気仙沼湾, メガデューン Keywords: 2011 Tohoku-Oki tsunami, Kesennuma Bay, Mega-dune