## **Japan Geoscience Union Meeting 2012**

(May 20-25 2012 at Makuhari, Chiba, Japan)

©2012. Japan Geoscience Union. All Rights Reserved.



MSD05-05

会場:106

時間:5月20日10:00-10:15

## 国際宇宙ステーションからの高高度放電発光現象観測ミッション(JEM-GLIMS)の現状

Status of Global Lightning and Sprite Measurements on JEM-EF Mission (JEM-GLIMS)

佐藤 光輝  $^{1*}$ , 牛尾 知雄  $^2$ , 森本 健志  $^2$ , 鈴木 睦  $^3$ , 山崎 敦  $^3$ , 菊池 雅行  $^4$ , 石田 良平  $^5$ , 高橋 幸弘  $^1$ , Umran Inan $^6$ , 芳原 容英  $^7$ , 坂本 祐二  $^8$ 

SATO, Mitsuteru<sup>1\*</sup>, USHIO, Tomoo<sup>2</sup>, MORIMOTO, Takeshi<sup>2</sup>, SUZUKI, Makoto<sup>3</sup>, YAMAZAKI, Atsushi<sup>3</sup>, Masayuki Kikuchi<sup>4</sup>, Ryohei Ishida<sup>5</sup>, TAKAHASHI, Yukihiro<sup>1</sup>, UMRAN, Inan<sup>6</sup>, HOBARA, Yasuhide<sup>7</sup>, SAKAMOTO, Yuji<sup>8</sup>

 $^1$  北海道大学大学院理学研究院,  $^2$  大阪大学大学院工学研究科,  $^3$  宇宙科学研究所,  $^4$  国立極地研究所,  $^5$  大阪府立大学,  $^6$  スタンフォード大学,  $^7$  電気通信大学情報・通信工学科,  $^8$  東北大学大学院工学研究科

<sup>1</sup>Facultyl of Science, Hokkaido University, <sup>2</sup>Graduate School of Engineering, Osaka University, <sup>3</sup>ISAS/JAXA, <sup>4</sup>NIPR, <sup>5</sup>Graduate School of Engineering, Osaka Prefecture University, <sup>6</sup>STAR Lab., Stanford University, <sup>7</sup>Faculty of Electro-Communications, The University of Electro-Communications, <sup>8</sup>Graduate School of Engineering, Tohoku University

In order to study the generation mechanism and occurrence condition of Transient Luminous Events (TLEs), global occurrence rates and distributions of lightning and TLEs, we will carry out the lightning and TLE observation at Exposed Facility of Japanese Experiment Module (JEM-EF) of International Space Station (ISS). In this mission named JEM-GLIMS (Global Lightning and sprIte MeasurementS on JEM-EF) two kinds of optical instruments and two sets of radio receivers will be integrated into the Multi mission Consolidated Equipment (MCE). The optical instruments consist of two wide FOV CMOS cameras (LSI) and six-channel spectrophotometer (PH), and all these optical instruments are pointed to the nadir direction. In order to detect whistler wave in the VLF range excited by lightning discharges, one VLF receiver (VLFR) is installed. In addition to this, VHF interferometer (VITF) which measures VHF pulses emitted by lightning discharges is installed. JEM-GIMS will be launched by H-IIB F3 this summer. We have finished the fabrication of GLIMS instruments and all the environmental tests (EMC, vibration, and thermal vacuum) and have delivered GLIMS instruments to the system side. All system functional and environmental tests of MCE were also finished at the end of 2011. Now JEM-GLIMS with MCE has delivered to the launch site and the assembling of the HTV and rocket system are started. We will present the status of the JEM-GLISM mission and discuss the expected science outputs derived from this mission more in detail.

キーワード: 雷放電, スプライト, 国際宇宙ステーション

Keywords: lightning, sprite, ISS