

カスプ F 領域における電子密度の周期構造 Periodic structures of the electron density in the F region cusp

千葉 康永^{1*}, 田口 聡¹, 細川 敬祐¹, 小川 泰信²

CHIBA, Yasunaga^{1*}, TAGUCHI, Satoshi¹, HOSOKAWA, Keisuke¹, OGAWA, Yasunobu²

¹ 電気通信大学, ² 国立極地研究所

¹University of Electro-Communications, ²National Institute of Polar Research

Structured plasma density in the dayside cusp is known to be collocated with "soft" precipitating particles, that is, electrons with energy less than about roughly 500 eV. When the energy and flux change over time, the structured density becomes even more irregular. In this study, using high time resolution data from the EISCAT Svalbard radar, we understand whether or not some periodic features exist in the irregular density distribution in the cusp. First, we derived the raw electron density profile with the shortest time resolution (of 3.2/6.4 s) from the radar data. We then examined the electron density profile using wavelet analysis. The result of wavelet analysis shows that several periodic variations exist in the structured density, and that a variation of 40-80s is prominent. We will show the detailed result about this variation, and discuss why this is prominent.

キーワード: F 層, 電子密度, カスプ, プラズマ対流, IS レーダー観測

Keywords: F region, electron density, cusp, plasma convection, IS radar observations