# **Japan Geoscience Union Meeting 2012**

(May 20-25 2012 at Makuhari, Chiba, Japan)

©2012. Japan Geoscience Union. All Rights Reserved.



PPS22-01

会場:106

時間:5月25日09:00-09:15

## スターダスト彗星塵 T112 の鉱物学的特徴:AOA との比較 MINERALOGY OF STARDUST COMETARY GRAIN T112: SIMILARITY TO AMOE-BOID OLIVINE AGGREGATES.

小松 睦美  $^{1*}$ , 三河内 岳  $^2$ , Fagan Timothy $^1$ , Zolensky Michael $^3$  KOMATSU, Mutsumi $^{1*}$ , MIKOUCHI, Takashi $^2$ , FAGAN, Timothy $^1$ , ZOLENSKY, Michael $^3$ 

## 1 早稲田大学、2 東京大学大学院理学系研究科地球惑星科学専攻、3NASA ジョンソン宇宙センター

<sup>1</sup>Waseda University, <sup>2</sup>Department of Earth and Planetary Science, Graduate School of Science, University of Tokyo, <sup>3</sup>NASA Johnson Space Center

#### Introduction:

The successful analysis of comet 81P/Wild 2 particles returned by the Stardust mission has revealed that the Wild 2 dust contains abundant silicate grains that are much larger than interstellar grains and appear to have formed in the inner regions of the solar nebula [1]. Wild 2 particles include minerals which are isotopically and mineralogically similar to CAIs [e.g., 2], chondrules [e.g., 3], and amoeboid olivine aggregates (AOAs) [e.g., 4] in chondrites. In this study, we have examined the mineralogy of the Track 112 particle and compared the possible relationships between T112 and AOAs.

### Results and Discussion:

Our two TEM grids from T112 are dominated by 4 micron -sized forsteritic olivine. Submicron sized chromite is associated with the olivine. The olivine from T112 is near end-member forsterite, but shows a slight enrichment of Fe toward the grain rim. In the least metamorphosed chondrites, most AOAs consist of forsterite. Enrichment of olivine in fayalite component is correlated with petrologic subtype of a host meteorite [5]. In CV chondrites, Fe-enrichment is distinct in Allende (petrologic type >3.6). The Fe enrichment on the rim of T112 olivine may have been caused by a minor degree of thermal processing after the condensation of forsterite.

From EDS analyses, the chromite grains have high Cr2O3 content (up to 65 wt. %), and yield Al-absent compositions with intermediate Mg#; however, it is likely that some Mg detected by EDS is from neighboring olivine and that the grains are closer to pure chromite in composition. Chromite is a minor phase in Wild 2 particles. Cr-rich spinels have been identified in the chondrule-like particle Torajiro [3] and associated with Coki-B Kool fragments (T141 [6]); however, these spinels have significant Al2O3.

Three possibilities for the formation of chromite can be considered: (i) direct condensation from a gas; (ii) crystallization from chondrule melt; (iii) metamorphism/aqueous alteration. (i) Modeling by [7] predicts that Cr-rich spinel crystallizes in mixed vapor + silicate liquid + refractory solid reactions at high temperatures in dust enriched systems, but always with significant Al2O3. (ii) This modeling [7] also shows that chromite is stable with silicate liquid at high dust enrichment, but textures of T112 particle do not appear to be typical of chondrules. Furthermore, the 16O-rich composition of olivine in the potted butt sample from (T112) is more consistent with AOAs than chondrules. (iii) Tiny Cr-rich grains surrounding olivine in type 3 ordinary chondrites were identified by [8] as products of incipient metamorphism. The T112 chromite might have a similar origin.

The forsteritic, 16O-rich composition of T112 olivine suggests a condensation origin. Slight enrichment in Fa-content along the olivine rim suggests some metamorphism. At this point, we consider metamorphism the most likely origin of T112 chromite.

References: [1] Brownlee D. E. et al. (2006) Science 314:1711-1716. [2] Zolensky M. et al. (2006) Science 314:1735-1739. [3] Nakamura T. et al. (2008) Science 321:1664-1667. [4] Nakamura-Messenger K. et al. (2011) MaPS 46:1033-1051. [5] Komatsu M. et al. (2001) MaPs 36:629-641. [6] Joswiak D. J. et al. (2009) MaPS 44: 1561-1588. [7] Ebel D. and Grossman L. (2000) GCA 64:5339-366. [8] Grossman J. N. and Brearley A. J. (2005) MaPS 40:87-122.

### キーワード: 隕石, 炭素質コンドライト, 彗星塵

Keywords: meteorites, carbonaceous chondrites, cometary dust