

## 海洋生態系および生物地球化学変数の衛星観測 Satellite observation of marine ecosystem and ocean biogeochemistry

平田 貴文<sup>1\*</sup>, 鈴木光次<sup>1</sup>, 山中康裕<sup>1</sup>  
Takafumi Hirata<sup>1\*</sup>, Koji Suzuki<sup>1</sup>, Yasuhiro Yamanaka<sup>1</sup>

<sup>1</sup> 北海道大学  
<sup>1</sup>Hokkaido University

The oceans absorb approximately 25-30% of anthropogenic carbon dioxide released into the atmosphere. While physics, as represented by temperature and wind speed etc., contribute to carbon flux between the atmosphere and the ocean, marine biota also plays a significant role via photosynthesis on fixation and export of the carbon within the surface ocean and from the surface to the deep ocean, respectively. Especially, the photosynthesis requiring the carbon dioxide in its process can even accelerate the ocean absorption of the carbon dioxide. An ability of the carbon fixation and the export is dependent on photosynthesizing microbe, or phytoplankton. While a large-sized phytoplankton such as diatom fixes and exports the carbon faster than other phytoplankton, coccolithophore even releases the carbon dioxide during its calcium fixation, reducing a net amount of its carbon fixation. Therefore, variability in marine ecosystem structure would, at least partly, explain spatial or temporal anomaly of the carbon flux within the ocean. Currently, the ocean colour remote sensing is only a practical means to observe marine biological and biogeochemical variables with considerable frequency for the large-scale oceans. Under the JAXA GCOM-C project, we have been developing novel algorithms to observe the marine ecosystem structure (especially phytoplankton community structure) and other biogeochemical variables. In this presentation we show these observed by satellite as well as a comparison with the state-of-the-art marine ecosystem model.

キーワード: 生物地球化学, 海洋生態系, 衛星観測, 海色  
Keywords: Biogeochemistry, Ocean Ecosystems, Satellite observation, Ocean color