Japan Geoscience Union Meeting 2013

(May 19-24 2013 at Makuhari, Chiba, Japan)

©2013. Japan Geoscience Union. All Rights Reserved.



会場:102B



時間:5月21日14:45-15:00

高解像度 MRI-AGCM のアンサンブル温暖化予測実験によるアジアの降水変化 Future changes and uncertainties in Asian precipitation simulated by ensemble experiments with high-resolution MRI-AGCMs

遠藤 洋和¹*, 鬼頭昭雄¹, 尾瀬智昭¹, 水田亮¹, 楠昌司¹ Hirokazu Endo¹*, KITOH, Akio¹, OSE, Tomoaki¹, MIZUTA, Ryo¹, KUSUNOKI, Shoji¹

1 気象研究所

¹Meteorological Research Institute

This study focuses on projecting future changes in mean and extreme precipitation in Asia, and discusses their uncertainties. Time-slice experiments using a 20-km-mesh atmospheric general circulation (AGCM) were performed both in the present-day (1979?2003) and the future (2075?2099). To assess the uncertainty of the projections, 12 ensemble projections (i.e., combination of 3 different cumulus schemes and 4 possible different sea surface temperature (SST) patterns) were conducted using 60-km-mesh AGCMs. For the present-day simulations, the models successfully reproduced the pattern and amount of mean and extreme precipitation, although the model with the Arakawa?Schubert (AS) cumulus scheme underestimated the amount of extreme precipitation. For the future climate simulations, in South Asia and Southeast Asia, mean and extreme precipitation generally increase, but their changes show marked differences among the projections, suggesting some uncertainty in their changes over these regions. In East Asia, northwestern China and Bangladesh, in contrast, mean and extreme precipitation show consistent increases among the projections, suggesting their increases are reliable for this model framework. Further investigation by analysis of variance (ANOVA) revealed that the uncertainty in the precipitation changes in South Asia and Southeast Asia are derived mainly from differences in the cumulus schemes, with an exception in the Maritime Continent where the uncertainty originates mainly from the differences in the SST pattern.

キーワード: 温暖化予測, 降水, アジア, 高解像度モデル, アンサンブル予測 Keywords: future projection, rainfall, Asia, high-resolution model, ensemble projection