

## Numerical modeling to evaluate carbon cycle changes in the Ediacaran for identifying the cause of the Shuram excursion

Miyuki Tahata<sup>1\*</sup>, Yusuke Sawaki<sup>1</sup>, Yuichiro Ueno<sup>1</sup>, Tsuyoshi Komiya<sup>2</sup>, Naohiro Yoshida<sup>1</sup>, Manabu Nishizawa<sup>3</sup>, Toshikazu Ebisuzaki<sup>4</sup>

<sup>1</sup>Tokyo institute of Technology, <sup>2</sup>the University of Tokyo, <sup>3</sup>RIKEN, <sup>4</sup>JAMSTEC

Ediacaran is one of the most important periods, because some environmental changes are proposed (e.g. Oxidation, nutrient and carbon cycle) before the Cambrian explosion and macroscopic multicellular metazoan first appeared and their sizes became drastically large. Therefore, quantitative carbon cycle changes in Ediacaran period need to decode in order to compare of environmental changes and evolution.

We assumed box model that there were two carbon reservoirs in Ocean and fluxes are taken as the first order reaction of each reservoir (Rothman et al., 2003; Ishikawa et al., 2012). Thus, we could estimate both  $\delta 13C_{carb}$  and  $\delta 13C_{org}$  by changes of parameters to trace analyzed  $\delta 13C_{carb}$  and  $\delta 13C_{org}$  curves from drilling core samples in Three Gorges through the Ediacaran to the early Cambrian (Tahata et al., 2012; Kikumoto et al., 2013; Ishikawa et al., 2012). The  $\delta 13C_{carb}$  in Three Gorges shows negative excursions in Gaskiers glaciation (ca. 580 Ma), Shuram excursion (ca. 570-550 Ma) and Precambrian/Cambrian boundary (ca. 542 Ma). On the other hand, the  $\delta 13C_{org}$  in Three Gorges show constant ca. -30 per mill in early Ediacaran and correlation to  $\delta 13C_{carb}$  after Shuram excursion.

The parameter sets suggested carbon cycle changes in Ediacaran period. This Reconstructed Three Gorges carbon cycle quantitatively estimated carbon cycle changes in these periods. The results indicate the rate of remineralization need to increase before the Shuram excursion and the rate of organic carbon burial increase to ca. 100 times in the late stage of Shuram excursion. The increase of remineralization might indicate step-by-step changes of dominant metabolism from anaerobic respiration to aerobic respiration. In addition, the change of organic carbon burial is possibly consistent with the first appearance of mobile metazoan and zooplankton.

Keywords: Ediacaran, Shuram excursion, carbon cycle change