## Japan Geoscience Union Meeting 2013

(May 19-24 2013 at Makuhari, Chiba, Japan)

©2013. Japan Geoscience Union. All Rights Reserved.



PEM09-01

会場:101B

時間:5月23日09:00-09:15

## 国際宇宙ステーションからの雷放電とスプライトの観測 (GLIMS) Global Lightning and Sprite Measurements (GLIMS) from ISS

牛尾 知雄  $^{1*}$ , 佐藤 光輝  $^2$ , 森本 健志  $^3$ , 鈴木 睦  $^4$ , 山崎 敦  $^4$ , 芳原 容英  $^5$ , ウムランイナン  $^7$ , イヴァンリンスコット  $^7$ , 菊池 博史  $^1$ , 菊池雅行  $^9$ , 坂本 祐二  $^8$ , 石田良平  $^6$ , 高橋 幸弘  $^2$ , 河崎善一郎  $^1$ 

Tomoo Ushio<sup>1\*</sup>, Mitsuteru Sato<sup>2</sup>, Takeshi Morimoto<sup>3</sup>, Makoto Suzuki<sup>4</sup>, Atsushi Yamazaki<sup>4</sup>, Yasuhide Hobara<sup>5</sup>, Umran Inan<sup>7</sup>, Ivan Linscott<sup>7</sup>, Hiroshi Kikuchi<sup>1</sup>, Masayuki Kikuchi<sup>9</sup>, Yuji Sakamoto<sup>8</sup>, Ryohei Ishida<sup>6</sup>, Yukihiro Takahashi<sup>2</sup>, Zen-Ichiro Kawasaki<sup>1</sup>

 $^1$  大阪大学,  $^2$  北海道大学,  $^3$  近畿大学,  $^4$  宇宙航空研究開発機構,  $^5$  電気通信大学,  $^6$  大阪府立大学,  $^7$  スタンフォード大学,  $^8$  東北大学,  $^9$  極地研究所

<sup>1</sup>Osaka University, <sup>2</sup>Hokkaido University, <sup>3</sup>Kinki University, <sup>4</sup>JAXA, <sup>5</sup>University of Electro Communications, <sup>6</sup>Osaka Prefecture University, <sup>7</sup>Stanford University, <sup>8</sup>Tohoku University, <sup>9</sup>NIPR

The Global Lightning and sprIte MeasurementS (GLIMS) on the International Space Station (ISS) is a mission to detect and locate optical transient luminous events (TLEs) and its associated lightning simultaneously from the non-sun synchronous orbit, and is scheduled to be launch from Japan in January, 2012 as part of the multi-mission consolidated equipment on Japanese Exposure Module (JEM). Our mission goals are (1) to detect and locate lightning and sprite within storm scale resolution over a large region of the Earths' surface along the orbital track of the ISS without any bias, (2) to clarify the generation mechanism of sprite, and (3) to identify the occurrence conditions of TLEs. To achieve these goals, two CMOS cameras, six Photometers, VLF receiver, and VHF interferometer with two antennas, are installed at the bottom of the module to observe the TLEs as well as causative lighting discharges at nadir direction during day and night time. Though the luminous events so-called sprite, elves and jets have been investigated by numerous researchers all over the world based mainly on the ground observations, some important problems have not been fully understood yet such as generation mechanisms of columniform fine structure and horizontal offset of some sprites from the parent lightning discharges. In the JEM-GLIMS mission, observations from our synchronized sensors are going to shed light on above-mentioned unsolved problems regarding TLEs as well as causative lighting discharges.

The GLIMS was launched to the ISS on July 2012 and started its initial observation from November 2012 after the initial testing successfully. In this presentation, the mission overview and some intial results are briefly and firstly reported before some of the co-authors presents the interesting results more explicitly.

キーワード: 雷放電, 高高度発光現象, 国際宇宙ステーション

Keywords: Lightning, TLE, ISS