

パイロープに富むガーネット中の Si 拡散の温度と圧力依存性 Effects of pressure and temperature on the silicon diffusivity of pyrope-rich garnet

下宿 彰^{1*}, 久保 友明², 加藤 工², 西真之³, 芳野 極¹, 中村 智樹⁴, 岡崎 隆司², 嘉数 勇基⁴

Akira Shimojuku^{1*}, Tomoaki Kubo², Takumi Kato², Masayuki Nishi³, Takashi Yoshino¹, Tomoki Nakamura⁴, Ryuji Okazaki², Yuki Kakazu⁴

¹ 岡山大学, ² 九州大学, ³ 愛媛大学, ⁴ 東北大学

¹Okayama University, ²Kyushu University, ³Ehime University, ⁴Tohoku University

We determine the pressure and temperature dependencies of Si volume diffusion rates in single crystal of Pyp75Alm15Gr10 garnet at 6-25 GPa and 1673-2073 K by the ²⁹Si tracer diffusion method. High-pressure experiments are conducted by using the Kawai-type multi-anvil high-pressure apparatus. The diffusion profiles are obtained by using the secondary ion mass spectrometry in the depth-profiling mode. The Si diffusion coefficient in garnet (D_{gt}) is expressed by the Arrhenius equation: $D_{gt} = D_0 \exp(-(E + PV)/RT)$, with $\log_{10}D_0 = -7.9 \text{ m}^2\text{s}^{-1}$, $E = 330 \text{ kJmol}^{-1}$, and $V = 4.6 \text{ cm}^3\text{mol}^{-1}$. Si diffusion seems to be the slowest in the major constituent elements and controls rates of plastic deformation under the upper mantle to the mantle transition zone conditions. The comparisons of Si diffusion rates between garnet and wadsleyite/ringwoodite suggest that garnet has almost similar or slightly higher strength (at most 4 times) compared with wadsleyite and ringwoodite at the temperature ranging from 1173 to 1573 K. Thus, the subducted oceanic crust may have plastically similar or slightly higher strength compared with the underlying peridotite layer at the mantle transition zone conditions. This result suggests that the separation of the subducted oceanic crust from the underlying peridotite layer may not occur.

Keywords: garnet, diffusion, rheology, subducted oceanic crust