Japan Geoscience Union Meeting 2013

(May 19-24 2013 at Makuhari, Chiba, Japan)

©2013. Japan Geoscience Union. All Rights Reserved.



SSS31-P43

会場:コンベンションホール

時間:5月21日18:15-19:30

相模トラフから房総三重会合点周辺の 3D 海底地形 3D bathymetric image of the Sagami Trough and the Boso Triple Junction area

泉 紀明 ^{1*}, 西澤 あずさ ¹, 堀内 大嗣 ¹, 木戸 ゆかり ², 中田 高 ³, 後藤 秀昭 ³, 渡辺 満久 ⁴, 鈴木 康弘 ⁵ Noriaki Izumi^{1*}, Azusa Nishizawa¹, Daishi Horiuchi¹, Yukari Kido², Takashi Nakata³, Hideaki Goto³, Mitsuhisa Watanabe⁴, Yasuhiro Suzuki⁵

A triple junction is a place where complex interactions of plates occur. The Pacific plate, the North American plate and the Philippine Sea plate collide at the junction of the Japan Trench and the Izu-Bonin Trench, and the Sagami Trough. At these trenches and their vicinity, a collision of plates builds up strain and causes intraplate and interplate earthquakes. Those imprints may have been preserved in the topography.

To understand the seafloor topography of the triple junction and its vicinity, especially spatial distribution of active submarine faults, we made detailed seafloor topographic images based on 150m DEM processed from the original data obtained by Japan Coast Guard and JAMSTEC.

¹ 海上保安庁海洋情報部, 2 海洋研究開発機構, 3 広島大学, 4 東洋大学, 5 名古屋大学

¹Hydrographic and Oceanographic Department, Japan Coast Guard, ²Japan Agency for Marine-Earth Science And Technology, ³Hiroshima University, ⁴Toyo University, ⁵Nagoya University