Japan Geoscience Union Meeting 2013

(May 19-24 2013 at Makuhari, Chiba, Japan)

©2013. Japan Geoscience Union. All Rights Reserved.



会場:コンベンションホール



時間:5月19日18:15-19:30

Landsat 衛星を用いたシベリアの土地被覆変化の検出 Land-cover change detection in Siberia using Landsat

酒井 徹^{1*}, Alexander Fedorov², Shamil Maksyutov³, 大島和裕¹, 檜山哲哉¹, 山口靖⁴ Toru Sakai^{1*}, Alexander Fedorov², Shamil Maksyutov³, Kazuhiro Oshima¹, Tetsuya Hiyama¹, Yasushi Yamaguchi⁴

1 総合地球環境学研究所, 2 永久凍土研究所, 3 国立環境研究所, 4 名古屋大学

¹Research Institute for Humanity and Nature, ²Melnikov Permafrost Institute, ³National Institute for Environmental Studies, ⁴Nagoya University

Siberia is well known one of the most vulnerable ares for climate change. As a result of climatic change, large areas have undergone land cover change (e.g., ecological succession after forest fire and permafrost degradation), and the change affects ecological functions. It is important to monitor the process of the land cover change for understanding the role of terrestrial ecosystems in the carbon and water cycles, the frequency of natural disasters, and the impact of ecosystem services. Land cover map is used as the basis for ecosystem management, conservation and restoration activities. Therefore, timely and accurate land cover map is needed at the regional scale. In order to produce land cover map, remote sensing is a very useful tool for repetitive sampling over large areas. A method to produce the land cover map based on high temporal frequency sensors, such as MODIS and SPOT VGT, has already been established. However, the spatial resolution of 1 km limits the performance of land cover map. The land cover maps includes a potential source of error because of the heterogeneity of the landscape at the subpixel scale. According to a comparative study, the pixel-level classification accuracy is not high, ranging between 50 and 58%. Medium spatial resolution sensors, such as Landsat TM/ETM+, allows the direct comparison of the field plot with a 30 m image pixel. The objectives of this study is to produce accurate land cover map using Landsat, and to better understand the relation between climate change and land cover change.

キーワード: 土地被覆変化, 気候変動, シベリア, ランドサット衛星 Keywords: land cover change, climate change, Siberia, Landsat