

地球中心核条件における純鉄の電気抵抗率 Electrical resistivity of hcp-Fe under Earth's core conditions

太田 健二^{1*}; 桑山 靖弘²; 廣瀬 敬³; 大石 泰生⁴
OHTA, Kenji^{1*}; KUWAYAMA, Yasuhiro²; HIROSE, Kei³; OHISHI, Yasuo⁴

¹ 東京工業大学 大学院理工学研究科 地球惑星科学専攻, ² 愛媛大学 地球深部ダイナミクス研究センター, ³ 東京工業大学 地球生命研究所, ⁴ 高輝度光科学研究センター

¹Department of Earth and Planetary Sciences, Tokyo Institute of Technology, ²Geodynamics Research Center, Ehime University, ³Earth-Life Research Institute, Tokyo Institute of Technology, ⁴Japan Synchrotron Radiation Institute

Iron is the primary component of the Earth's core. Convection of the conductive liquid outer core generates the geomagnetic field, and secular cooling of the core induces growth of the solid inner core and dynamics in the Earth's inside. Synchrotron x-ray diffraction study suggests that iron crystallizes in the hexagonal close-packed structure at the inner core conditions (Tateno et al., 2010). Thus, the electrical resistivity of hexagonal close-packed iron (hcp-Fe) is a key piece of information for estimating the transport properties of the core. We report high temperature electrical resistivity for hcp-Fe to 185 GPa measured in a laser-heated diamond anvil cell. We observed resistivity saturation in hcp-Fe under high pressure and high temperature conditions as predicted in a recent laboratory-based model for the conductivity of the Earth's core (Gomi et al., 2013). The saturation effect is significant in estimating electrical and thermal conductivity of the core, which strongly affect the dynamics and thermal evolution of the Earth.

References

Gomi, H. et al. The high conductivity of iron and thermal evolution of the Earth's core. *Phys. Earth Planet. Inter.* 224, 88-103 (2013).

Tateno, S., Hirose, K., Ohishi, Y., & Tatsumi, Y. The structure of iron in Earth's inner core. *Science* 330, 359-361 (2010).
Keywords: Electrical resistivity, Earth's core, hcp iron