

東南極大陸縁辺部の上部マントル比抵抗構造 Upper mantle electrical resistivity structure at the continental margin of East Antarctica

松野 哲男^{1*}; 野木 義史¹; 島 伸和²
MATSUNO, Tetsuo^{1*}; NOGI, Yoshifumi¹; SEAMA, Nobukazu²

¹ 国立極地研究所, ² 神戸大学

¹National Institute of Polar Research, ²Kobe University

The breakup of the Gondwana supercontinent is one of targets of the study on the plate tectonics and related mantle dynamics. The crust and the upper mantle structure under the western Cosmonauts Sea at the continental margin of East Antarctica, where a rifting of Gondwana and a subsequent seafloor spreading occurred, are anticipated to reflect the breakup process of Gondwana. We carried out a marine electromagnetic experiment to reveal an electrical resistivity structure at depth of the crust and the upper mantle under the western Cosmonauts Sea. Time variations of the electromagnetic field were acquired at two seafloor sites in the experiment. The time variations data were processed on the basis of the magnetotelluric (MT) method. The MT response function was obtained after considering influence of non-plane magnetic field sources at high geomagnetic co-latitude. The obtained MT response functions and polar diagrams imply that the MT responses involve topographic distortion and/or reflect a higher dimensional resistivity structure under the observational sites. Three dimensional forward modeling was conducted to examine influence on the observed MT responses from the topographic variation around the observational sites and a conductive layer just under the sites, which is mostly regarded as sediment. The results of the forward modeling clearly show that the topographic variation and the surface conductive layer have severe influence on the observed MT responses. A series of 3-D forward modeling with the topographic variation and the surface conductive layer was implemented to examine a resistivity structure at depth of the crust and the upper mantle. The results indicate that the resistivity structure is explained by a two-layer resistivity structure, in which the upper layer is resistive and the lower layer is conductive. The upper resistive and the lower conductive layers likely represent dry and water/melt rich oceanic upper mantle, respectively. The thickness of the upper resistive layer is thinner than that expected for a typical oceanic upper mantle of the seafloor age of the study area. The thin upper resistive layer may require high temperature and high water/melt anomalies that were generated through mantle convection, which was related to the breakup process of Gondwana at the continental margin of East Antarctica.