

私たちはいかにして ALMA を建設したか How we built ALMA

長谷川 哲夫^{1*}
HASEGAWA, Tetsuo^{1*}

¹ 国立天文台

¹National Astronomical Observatory of Japan

The Atacama Large Millimeter/submillimeter Array (ALMA), an international partnership of the European Organisation for Astronomical Research in the Southern Hemisphere (ESO), the U.S. National Science Foundation (NSF) and the National Institutes of Natural Sciences (NINS) of Japan in cooperation with the Republic of Chile, is the largest astronomical project in existence. ALMA is a single telescope of revolutionary design, composed initially of 66 high precision antennas located on the Chajnantor plateau, 5000 meters altitude in northern Chile. The National Astronomical Observatory of Japan (NAOJ), a branch of NINS, is taking the role of the Executive for the 25% contribution from East Asia to the project. ALMA is now in its full operation and producing exciting scientific data, such as the astonishing image of the grooved protoplanetary disk surrounding HL Tau.

In this paper, I will introduce the lights and shadows of this worldwide collaboration that built ALMA, based on my 7-year experience in Chile working for the project.

Keywords: radio astronomy, ground-based, international collaboration, large project

宇宙からの太陽観測における国際協力 International collaboration in space solar physics

常田 佐久^{1*}
TSUNETA, Saku^{1*}

¹ 宇宙科学研究所
¹ ISAS/JAXA

Before coming to ISAS on April, 2013, I had worked for the National Astronomical Observatory of Japan as an astronomer, and had been involved in 4 satellites, 2 balloons, and 2 sounding rocket experiments. I have been observing the sun with these missions in the past 30 years.

I started my career with hard X-ray and gamma ray instrumentation in 1970s in ISAS Hinotori solar satellite as a graduate student, then moving to the development of the soft X-ray telescope with NASA in 1980s for ISAS Yohkoh mission, proceeding to the visible light space telescope again developed with NASA from late 1990s for ISAS Hinode satellite. I had proposed the basic concepts of both the Yohkoh and the Hinode missions with my colleagues. Solar physics has been enjoying the golden age in the past 25 years with Yohkoh and Hinode. In particular, very successful Yohkoh changed the dim scenery of the discipline, and paved the way for series of space solar missions thereafter.

Yohkoh and GEOTAIL would be the first two missions for which NASA decided to work with Japan in a significant way. That happened as early as 1986. Missions such as Hinode, Suzaku, ASCA, GEOTAIL and Yohkoh were tremendous success affecting not only that disciplines but to all space science. International collaboration as a means to combine assets scattered in the world namely good people, technology and money has to be pursued ever more in this turbulent era for the sake of science. ISAS/JAXA is always seeing for collaboration with international partners for any ISAS/JAXA missions. We are also eager to participate in missions led by foreign agencies.

キーワード: 宇宙科学
Keywords: Space Science

日本学術会議 STPP 小委員会主導の国際共同プログラムー活動報告と展望ー International collaboration driven by the STPP sub-committee under the Science Council of Japan

小原 隆博^{1*}

OBARA, Takahiro^{1*}

¹ 東北大惑星プラズマ・大気研究センター

¹ Planetary Plasma and Atmospheric Research Center

To date, the Solar Terrestrial Physics Program (STPP) sub-committee has been promoting and supporting several international programs. For example, it supported International Heliophysical Year (IHY), a major initiative launched by the United Nations from 2007 to 2009. In broad terms, IHY dealt with the solar system, paying a particular attention to the effects of the Sun on the Earth's upper atmosphere and on the space environment in the vicinity of the Earth. The United Nations Office for Outer Space Affairs (UNOOSA) coordinated observation campaigns and drew scientists and engineers from all over the world to enhance its Basic Space Science Initiative (BSSI). Several international workshops were organized by UNOOSA to advance the benefits of IHY to all corners of the world. To maintain the international momentum created by IHY, UNOOSA developed the International Space Weather Initiative (ISWI) to achieve more basic understanding of the solar terrestrial relationship. ISWI ran from 2010 to 2014, and there was an international workshop for each year of ISWI (i.e., at Cairo, Abuja, Quito, and Graz).

From another vantage point, UNOOSA established in 2010 a new working group (WG): Long Term Sustainability of Outer Space Activity (LTSOSA). This working group was created to cover a wide area: From the natural space environment (Space Weather) to the artificial space environment (Space Delis). The LTSOSA WG set up four expert groups in 2011. Expert Group for Space Weather is one of the expert groups and the author (T. Obara) was assigned to be one of the co-chairs of the space weather expert group.

The space weather expert group members gathered several times, and compiled a 50-page working group report (A/AC.105/C.1/2014/CRP.1/UN COPUOS REPORT, 2014). This report contains:

- Identification of risks from space weather,
- Observations, models, tools for space weather prediction,
- Comprehensive network space weather services,
- Coordination on data and services to safeguard space activities,
- Engineering approaches to mitigate space environment effects,
- Recommended guidelines for the long-term sustainability of space activities.

The Solar Terrestrial Physics Program (STPP) sub-committee of the Science Council of Japan has been in charge of these UN-mandated programs for the interface with Japan. The STPP is considering to propose follow-on UN programs, and the STPP is also considering to take on responsibility for other programs such as multinational and international space weather programs, such as AOSWA (Asia Oceania Space Weather Alliance).

In this presentation, details shall be presented to give a better idea about the goals and functions of STPP.

キーワード: 日本学術会議 STPP 小委員会, 国際共同プログラム, 活動報告と展望

Keywords: STPP sub-committee, the Science Council of Japan, International Collaboration, Past and Future

Variability of the Sun and Its Terrestrial Impact (VarSITI): SCOSTEP's scientific program in 2014-2018

Variability of the Sun and Its Terrestrial Impact (VarSITI): SCOSTEP's scientific program in 2014-2018

塩川 和夫^{1*}; Georgieva Katya²
SHIOKAWA, Kazuo^{1*}; GEORGIEVA, Katya²

¹Solar-Terrestrial Environment Laboratory, Nagoya University, ²Space Research and Technologies Institute, Bulgarian Academy of Sciences

¹Solar-Terrestrial Environment Laboratory, Nagoya University, ²Space Research and Technologies Institute, Bulgarian Academy of Sciences

During the last solar minimum, solar activity was extremely low for an extended period, and the present maximum of sunspot cycle 24 is the lowest in the last 100 years. It is not clear what long-term solar activity variations we can expect in the future: whether this is just the end of the recent decades of high solar activity, or whether the Sun is entering a Maunder-type minimum. Moreover, it is not clear to what extent our present understanding of how the Sun influences the geospace - which is based on instrumental observations taken during only the period of high solar activity in the second part of the 20th century - will hold during periods of more moderate to low solar activity that may follow. And it is still more unclear how all this would affect global climate change, or how important becomes the penetration of various inputs from the Earth's lower atmosphere to the ionosphere and plasmasphere. In 2014-2018 the Scientific Committee On Solar-TERrestrial Physics (SCOSTEP) operates the scientific program "Variability of the Sun and Its Terrestrial Impact" (VarSITI) which will focus on the recent and expected future solar activity and its consequences for the Earth, for various time scales from the order of thousands years to milliseconds, and for various locations and their connections from the solar interior to the Earth's atmosphere. In order to elucidate these various Sun-Earth connections, we encourage much closer communications between solar scientists (solar interior, atmosphere, and heliosphere) and geospace scientists (magnetosphere, ionosphere, and atmosphere). Campaign observations/data analysis for particular intervals, VarSITI web pages (<http://www.varsiti.org/>), mailing lists, and newsletters, are developed for this purpose. Four scientific projects are carried out under the VarSITI program: (1) Solar Evolution and Extrema (SEE), (2) International Study of Earth-Affecting Solar Transients (ISEST/MiniMax24), (3) Specification and Prediction of the Coupled Inner-Magnetospheric Environment (SPeCIMEN), and (4) Role Of the Sun and the Middle atmosphere/thermosphere/ionosphere In Climate (ROSMIC). These four projects will be carried out in collaboration with relevant satellite and ground-based missions as well as modeling efforts to facilitate the implementation of the projects. We will also discuss the collaboration with other on-going international projects like the UN-based space weather activities, particularly for promoting VarSITI-related science in developing countries, and ICSU World Data System (ICSU-WDS).

キーワード: 太陽活動, 気候変動, VarSITI, 太陽圏, 磁気圏, 大気圏

Keywords: VarSITI, solar activity, climate change, heliosphere, magnetosphere, atmosphere

国際宇宙天気イニシアチブ プロジェクト (ISWI) The International Space Weather Initiative (ISWI)

Gopalswamy Nat^{1*}; 吉川 顕正²
GOPALSWAMY, Nat^{1*}; YOSHIKAWA, Akimasa²

¹NASA Goddard Space Flight Center, ²九州大学国際宇宙天気科学・教育センター
¹NASA Goddard Space Flight Center, ²ICSWSE, Kyushu University

The International Space Weather Initiative (ISWI) is a scientific program of global cooperation to understand the external drivers of space weather. The science and applications of space weather has been brought to prominence because of the rapid development of space based technology that is useful for all human beings. The ISWI program has its roots in the successful International Heliophysical Year (IHY) program that ran during 2007 -2009. The primary objective of the ISWI program is to advance the space weather science by a combination of instrument deployment, analysis and interpretation of space weather data from the deployed instruments in conjunction with space data, and communicate the results to the public and students. Like the IHY, the ISWI will be a grass roots organization with key participation from national coordinators in cooperation with an international steering committee. There have been more than 1000 deployments from 17 instrument concepts forming several instrument networks. This talk outlines the ISWI program including its organization and summarizes a few scientific results.

International collaboration in ground-based magnetometer observations via ULTIMA: A tribute to Professor Kiyohumi Yumoto

International collaboration in ground-based magnetometer observations via ULTIMA: A tribute to Professor Kiyohumi Yumoto

CHI, Peter^{1*} ; YOSHIKAWA, Akimasa² ; MANN, Ian³
CHI, Peter^{1*} ; YOSHIKAWA, Akimasa² ; MANN, Ian³

¹Department of Earth Planetary and Space Sciences, UCLA, ²Department of Earth and Planetary Sciences, Kyushu University,
³Department of Physics, University of Alberta
¹Department of Earth Planetary and Space Sciences, UCLA, ²Department of Earth and Planetary Sciences, Kyushu University,
³Department of Physics, University of Alberta

Ground-based magnetometers provide not only the measurements of the geomagnetic field but also integrative information about of the electric currents in the magnetosphere and the ionosphere, revealing the dynamics of the magnetic storms, substorms, and various types of MHD and plasma waves in the geospace. Ground-based magnetometers are installed and operated by university teams and government agencies, most of which manage regional arrays for specific scientific objectives or national interests. Nonetheless, a global network of ground-based magnetometers is required to understand the complex geospace and its response to solar activity.

As the Principal Investigator of the world's largest magnetometer array operated by a single group, Professor Kiyohumi Yumoto envisioned that international collaboration was the only way to global magnetometer observations. In 2006, he and six other magnetometer arrays in Australia, Canada, and the United States founded the Ultra Large Terrestrial International Magnetometer Array (ULTIMA) consortium, of which he was elected as the first Chair. The main objective of ULTIMA is to promote collaborative research on the magnetosphere, ionosphere, and upper atmosphere through the use of ground-based magnetic observatories. The number of ULTIMA members doubled in size during Professor Yumoto's tenure between 2006 and 2014. Today, ULTIMA consists of 17 member arrays with over 250 stations located in all continents of the world. ULTIMA also received recognition from the International Association of Geomagnetism and Aeronomy (IAGA) in 2013.

We present a review of the establishment and development of ULTIMA, as well as lessons learned regarding collaboration among magnetometer teams in multiple nations. As geospace research has moved into a new era where collaborative opportunities among different types of observations are growing, we also demonstrate ongoing and upcoming synergetic activities participated by ULTIMA.

キーワード: ground-based magnetometers, ULTIMA, international collaboration, magnetic field, geospace
Keywords: ground-based magnetometers, ULTIMA, international collaboration, magnetic field, geospace

BepiColombo 日欧共同水星探査ミッション BepiColombo Euro-Japan Joint mission to Mercury

早川 基^{1*}; 前島 宏則¹
HAYAKAWA, Hajime^{1*}; MAEJIMA, Hironori¹

¹ 宇宙研・宇宙航空研究開発機構
¹ ISAS/JAXA

紀元前から知られる水星は、「太陽に近い灼熱環境」と「軌道投入に要する多大な燃料」から周回探査は困難であり、昨年3月からの米国 MESSENGER による観測が初めてのものである。過去の探査から、この小さな惑星にはあり得ないと考えられていた磁場と磁気圏活動の予想外の発見をもたらしたが、その究明は未だこれからの課題となっている。「ベピ・コロombo (BepiColombo)」は、欧州宇宙機関 (以下、ESA) との国際分担・協力によりこの惑星の磁場、磁気圏、内部、表層を初めて多角的・総合的に観測しようとするプロジェクトである。固有磁場と磁気圏を持つ地球型惑星は地球と水星だけで、初の水星の詳細探査＝「初の惑星磁場・磁気圏の詳細比較」は、「惑星の磁場・磁気圏の普遍性と特異性」の知見に大きな飛躍をもたらす。また、磁場の存在と関係すると見られる巨大な中心核など水星の特異な内部・表層の全球観測は、太陽系形成、特に「地球型惑星の起源と進化」の解明に貢献する。

本計画は、観測目標に最適化された2つの周回探査機、すなわち表面・内部の観測に最適化された「水星表面探査機 (MPO)」(3軸制御、低高度極軌道)、磁場・磁気圏の観測に最適化された「水星磁気圏探査機 (MMO)」(スピン制御、楕円極軌道) から構成される。ISAS / JAXA は、日本の得意分野である磁場・磁気圏の観測を主目標とする MMO 探査機の開発と水星周回軌道における運用を担当し、ESA が残りの全て、すなわち、打ち上げから惑星間空間の巡航、水星周回軌道への投入、MPO の開発と運用を担当する。

両探査機に搭載する数々の科学観測装置は、2004年の搭載機器選定以降開発は着々と進行し、日本側の詳細設計審査は平成23年11月に終了した。JAXAの開発するMMOは本年3月初頭に総合試験が終了する予定である。4月にESA/ESTECへ輸送し、単体の作業を終えたのちESA側へ引き渡す。ESA側モジュールと組合わせた環境試験の終了後、各モジュールは射場である仏領ギアナへ輸送され、2016年夏期に打ち上げの予定である。一方MMO電気モデルはドイツへ輸送され2012年10月から電気モデル試験に参加した。今後第2回電気モデル試験に参加する予定である。

水星到着後の観測は、選ばれた装置開発チームに留まらず、広く日欧研究者で構成する「BepiColombo 科学ワーキングチーム」(年1回程度開催)で立案・実施される。本講演では、初の大型日欧協力となったBepiColomboプロジェクトに関してのこれまで、今後についての状況を報告する。

キーワード: 水星, 惑星探査, 国際協力
Keywords: Mercury, Planetary Exploration, International Collaboration

STRATEGIC MAP FOR EXPLORING THE OCEAN-WORLD ENCELADUS STRATEGIC MAP FOR EXPLORING THE OCEAN-WORLD ENCELADUS

SHERWOOD, Brent^{1*}
SHERWOOD, Brent^{1*}

¹Jet Propulsion Laboratory, California Institute of Technology

¹Jet Propulsion Laboratory, California Institute of Technology

Introduction: Cassini's discovery of jets emitting salty water from the Saturn's small moon Enceladus is one of its most astounding results. Measurement of salts and organic species in the resulting plume, finding that tidal stretching at apocryone valves the jet activity, modeled lifetime of E-ring particles, and gravitational inference of a long-lived, large water reservoir in contact with the rock core all indicate that Enceladus meets textbook conditions for habitability: liquid water, biologically available elements, energy source, and longevity of conducive conditions. Enceladus is among the best places in our solar system to search for direct evidence of biomarkers.

Exploring an ocean world: Enceladus also proffers the simplest access by a flight mission to telltale molecules, ions, isotopes, and potential cytofragments, since its plume continuously expresses material from the ocean directly into space. In situ mass spectroscopy of the plume, plume sample return, in situ investigation of plume snow on the surface, direct sulcus and vent exploration, and eventually submarine exploration can all be envisioned.

However, the strategic urgency and feasibility of planning and funding elaborate in situ exploration of this ocean world will hinge on new data revealing promising results. The very first steps of the roadmap are pivotal.

Two straightforward mission concepts, one Discovery-class and one New Frontiers-class, are: flythrough plume analysis using gas and particle mass spectrometers, upgrading the Cassini INMS and CDA measurements but with modern, high-resolution instruments; and collection of plume ice particles, dust, and gas upon Stardust-like flythrough, followed by sample retrieval for comprehensive analysis in terrestrial laboratories.

Building a strategic map: The mission waypoints on an integrated strategic map each require unique capabilities, address focused science questions, and yield results important for setting priorities and making subsequent in-vestments. However, overlaid on this logical sequence are important, mutually competing programmatic constraints: astrobiology pursuits at other ocean worlds and Mars, and exoplanet spectroscopy; cadence of realistic opportunities for mission selections and formal science-community planning cycles via Decadal Surveys; programmatic and even popular impatience to await interim results before vectoring investments in enabling capabilities; and alignment of US exploration strategies with international partner goals. As with Mars for many years, anticipation of interesting eventual results may be a key driver of strategic intent, able to withstand absence of validation for many years. And as for major exploration pursuits like Cassini-Huygens and the International Space Station, synergy among international partners may prove key for establishing and sustaining programmatic intent and momentum.

Key enabling elements for long-term exploration of the ocean-world Enceladus include: coherent sequence of science questions addressable by various type of mission; technologies that mature at the right time to enable both mission performance and approval (e.g., planetary protection); integrated concepts whose cost estimates survive review; lessons learned from analog exploration (e.g., terrestrial oceanography and extremophile research), and community momentum and international partnerships.

Decision levers and opportunities for action: Analysis of these elements of the strategic map yields a short list of decision pressure points for the next two decades. Using these opportunities the community may systematically prosecute the grand objective of finding and exploring an alien ecosystem within the working lifetime of today's graduate students. If missed, however, progress toward an age of comparative ocean exploration will be episodic, haphazard, and slow. Windows for making significant advances are sparse, and much remains to be done to prepare to take advantage of them.

キーワード: Enceladus, ocean world, life, plume, in situ, sample return
Keywords: Enceladus, ocean world, life, plume, in situ, sample return

国際アストロバイオロジー探査における惑星保護にまつわる新たな課題 New Challenges in Planetary Protection for International Astrobiology-Driven Explorations

矢野 創^{1*}
YANO, Hajime^{1*}

¹ 宇宙航空研究開発機構・宇宙科学研究所

¹Institute of Space and Astronautical Science, Japan Aerospace Exploration Agency

Planetary protection is an international and interdisciplinary activity among scientific, technological, operational and administrative countermeasures to preserve biospheres of both the Earth and exploration targets, should they have a scientific potential to have one, including Mars and some icy satellites of Jupiter and Saturn such as Europa, Ganymede, Enceladus and Tian. It also deals with all sample return missions to assess risks of each returned sample if they may endanger the terrestrial biosphere, according to a scientifically internationally agreed evaluation process endorsed by COSPAR Planetary Protection Panel, the worldwide authority to which all major spaced agencies follow their compliance.

In the coming decades, deep space exploration will focus on astrobiology-driven missions more than ever. Thus international space exploration community must work closely with the planetary protection issues of following respective missions to make them an enabler, rather than a show stopper.

Mars exploration now faces how to prevent terrestrial contamination at potentially inhabited regions like recurring slope lineae in order to search for direct evidence of indigenous life there. Also human landing and habitation, no matter sortie for the NASA plan or even permanently for Mars One, pauses serious contradiction with robotic life detection missions.

D/P-type asteroids such as the Martian satellites and Jupiter Trojans are now considered to be realistic targets for next generation robotic sample return missions while they still lack definite analog meteoritic samples on the earth, unlike S-type and C-type asteroids. Their present status of the restricted Earth return must be re-evaluated with the most updated scientific knowledge today, before COSPAR will endorse any of these sample return missions.

Sample returns of plume particles from icy bodies are a game changer of deep habitat research. Yet there have been few studies of planetary protection and contamination/alteration control at the sampling, return cruising, earth re-entry and subsequent laboratory analyses.

This presentation explains the above challenges and summarizes current efforts and future prospects how to overcome them.

キーワード: 惑星保護, サンプルリターン, 火星, 氷天体プルーム, D/P型小惑星, COSPAR
Keywords: Planetary Protection, Sample Return, Mars, Icy Plumes, D/P-type Asteroids, COSPAR

Hayabusa 2 and OSIRIS-REx: international collaborations on sample return missions Hayabusa 2 and OSIRIS-REx: international collaborations on sample return missions

CONNOLLY JR., Harold C.^{1*}; LAURETTA, Dante S.²; TACHIBANA, Shogo¹; YOSHIKAWA, Makoto³
CONNOLLY JR., Harold C.^{1*}; LAURETTA, Dante S.²; TACHIBANA, Shogo¹; YOSHIKAWA, Makoto³

¹Dept. of Natural History, Hokkaido Univ. Sapporo 060-0810, Japan, ²LPL, Univ. of Arizona, Tucson, AZ 85721, USA, ³ISAS, JAXA, Sagami-hara, Kanagawa 252-5210 Japan

¹Dept. of Natural History, Hokkaido Univ. Sapporo 060-0810, Japan, ²LPL, Univ. of Arizona, Tucson, AZ 85721, USA, ³ISAS, JAXA, Sagami-hara, Kanagawa 252-5210 Japan

The Origins Spectral Interpretation, Resource Identification, and Security-Regolith Explorer (OSIRIS-REx) asteroid sample return mission was selected by NASA in May 2011 as the third New Frontiers mission. The target, (101955) Bennu, is a B-type asteroid, hypothesized to be similar to CI or CM carbonaceous chondrites. The key science objectives of the mission are summarized in [1] with the major goal of returning pristine asteroid regolith. It is scheduled to launch in September 2016. Hayabusa2 is an asteroid sample return mission to the C-type asteroid, 1999 JU₃, and builds off of the successful Hayabusa mission, the first mission to return a sample from an asteroid. Hayabusa2 launched in December 2014.

The OSIRIS-REx science team is an international team including Co-Is and collaborators from the United States, Canada, France, and the United Kingdom with the Canadian Space Agency contributing an instrument (OSIRIS-REx Laser Altimeter) to the mission [2]. In addition, in November 2014, a Memorandum of Understanding (MOU) was signed between NASA and JAXA for cooperation between the Hayabusa2 and OSIRIS-REx missions. The Hayabusa2 science team is an international team including Co-Is and collaborators from Japan, Germany, France, the United States, Korea, the United Kingdom, Australia, Switzerland, and Italy. A lander MASCOT (Mobile Asteroid Surface Scout) for the Hayabusa2 was developed by DLR and CNES [3].

The official collaboration between the Hayabusa2 and OSIRIS-REx as defined in the MOU presents an important series of challenges for both missions. These challenges focus on sharing data from both science and engineering elements of the mission, including during asteroid operations and, ultimately, sample analysis and actual returned samples. It also provides an opportunity for the two missions to learn about each other's systems and how both science and engineering are approached from the human element. The two projects will develop a mutually agreed upon Joint Sample Exchange Curation and Analysis Plan that will support the mutual participation of scientists in both missions.

Hayabusa2 and OSIRIS-REx are sample return missions, and the exchange of samples between the two agencies will occur, building on lessons learned from the past. From JAXA, a total of 10% by mass of a representative and unprocessed portion of the returned Hayabusa2 sample will be jointly separated for full transfer to NASA no later than 1 year after Earth return. NASA will deliver a total of 0.5% by mass of the OSIRIS-REx sample no later than 1 year after Earth return and will jointly separate a representative and unprocessed sample. A key challenge for the two missions and agencies will be to determine and agree upon what constitutes a representative sample, in part because any agreed upon criteria for establishing what is representative could inevitably need to be re-evaluated upon sample return due to unexpected results in sampling.

[1] Lauretta et al. (2014) The OSIRIS-REx Target Asteroid 101955 Bennu: Constraints on its Physical, Geological, and Dynamical Nature from Astronomical Observations. *Meteorit. Planet. Sci.* 49. [2] Dickinson et al. (2012) AN OVERVIEW OF THE OSIRIS REX LASER ALTIMETER OLA. 43rd LPSC 1447. [3] Lange et al. 7th International Planetary Probe Workshop Proceedings, Barcelona, Spain. 2010.

キーワード: OSIRIS-REx, Hayabusa2, Sample Return, Missions, NASA, JAXA
Keywords: OSIRIS-REx, Hayabusa2, Sample Return, Missions, NASA, JAXA

The Nautilus Space Mission: Unveiling the Origin of the Diversity of the Asteroid Belt and of Earth Water

The Nautilus Space Mission: Unveiling the Origin of the Diversity of the Asteroid Belt and of Earth Water

Lamy Philippe^{1*} ; Vernazza P¹ ; Castillo-Rogez J² ; Beck P³ ; Nautilus Team⁴
LAMY, Philippe^{1*} ; VERNAZZA, P¹ ; CASTILLO-ROGEZ, J² ; BECK, P³ ; NAUTILUS, Team⁴

¹Laboratoire Astrophysique de Marseille, ²Jet Propulsion Laboratory, ³Institut de Planetologie et d'Astrophysique de Grenoble, ⁴Nautilus Team

¹Laboratoire Astrophysique de Marseille, ²Jet Propulsion Laboratory, ³Institut de Planetologie et d'Astrophysique de Grenoble, ⁴Nautilus Team

We present the Nautilus space mission recently proposed to ESA in the framework of the M4 call. The overarching science goal of the Nautilus mission, proposed by a team of European scientists with a strong participation of US scientists and other international scientists, is to explore a volatile-rich asteroid not represented in our meteorite collections (C- or D-type), and ultimately cast light on these aspects of the early history of the solar system. Its payload will allow performing high resolution imaging, ultra-violet, visible, near-infrared, mid-infrared and microwave spectroscopy, mass spectrometry of the gas phase, magnetic field measurements, and radio science. This proposal is supported by a team of ~170 scientists that includes prominent, world-class experts of primitive solar system bodies and of space instrumentation. In this presentation, we will highlight the challenges of this space mission and invite broader support from the international community.

Personal involvement in the international astronomical projects Personal involvement in the international astronomical projects

阿部 新助^{1*}
ABE, Shinsuke^{1*}

¹ 日本大学工学部航空宇宙工学科

¹Department of Aerospace Engineering, Nihon University

International collaboration is the key to lead the large-scale mission to the success. The large-scale project or big-science projects require coordinating multi-country teams and the budget. There are several ways to be involved in such a big project even an individual researcher can join. Here I will present my experiences, individual participation, such as (1) NASA Leonid MAC (Multi-Instrument Aircraft Campaign) which brought ~50 researchers from nine countries together in two aircraft to observe the Leonid meteor storms, (2) Pan-STARRS1 sky survey telescopic project on Mount Haleakala in Hawaii operated by the consortium which was made up of astronomers from 10 institutions from four countries (Japan was not included), (3) Asteroid sample return mission Hayabusa and so on.

キーワード: 小惑星, 彗星, 流星, 国際プロジェクト
Keywords: Asteroids, Comets, Meteors, International projects

ハワイ・ハレアカラ山頂の惑星／系外惑星専用望遠鏡 Telescopes Dedicated to the Observations of Planets and Exoplanets at Haleakala, Hawaii

笠羽 康正^{1*}; 坂野井 健¹; 中川 広務¹; 鍵谷 将人¹; 小原 隆博¹; 岡野 章一²; Jeff Kuhn²;
米田 瑞生³; Berdyugina Svetlana³

KASABA, Yasumasa^{1*}; SAKANNOI, Takeshi¹; NAKAGAWA, Hiromu¹; KAGITANI, Masato¹; OBARA, Takahiro¹;
OKANO, Shoichi²; JEFF, Kuhn²; YONEDA, Mizuki³; BERDYUGINA, Svetlana³

¹ 東北大・理, ² ハワイ大・天文学センター, ³ キーペンハウアー太陽物理研

¹Tohoku Univ., ²IfA, Univ. Hawaii, ³Kiepenheuer Institute for Solar Physics

In this paper, we introduce the University-sized small but unique telescope project at the summit of Mt. Haleakala of Maui Island, Hawaii.

Clear sky and good seeing condition are definitely important for any ground-based observations. The Haleakala High Altitude Observatories at the summit of Mt. Haleakala is not the highest place (3050m), but one of the best sites with clear sky, good seeing, and low humidity conditions. Operation is relatively easy because we can access to the airport, major towns, and a good engineering facility, ATRC (Advanced Technology Research Center) of IfA/UH within 1-2 hour drive from summit.

On the summit, our group has been operating a 40 cm Schmidt-Cassegrain telescope (T40), observing faint atmospheric features such as Io torus, Mercury, Lunar sodium tail, and so on. From fall 2013, ISAS Hisaki/Exceed EUV space telescope run on the orbit. The T40 telescope has uniquely provided long-term Io torus activities for this project. T40 will also link to Juno mission that will start Jovian observation from 2016.

Atmospheres and its escapes from planets and exoplanets are next extensions. From the late 2000s, we started the project to develop the telescope dedicated to planets and exoplanets, under the international consortium formed with IfA/UH and several groups in USA, Mexico, Canada, and Europe. This telescope project consists of several parts: The main is the new construction of the 1.8m off-axis telescope named PLANETS.

Associated with this project, we also moved our 60 cm telescope (T60) from Tohoku Univ. Iitate Observatory, and started the operation from Sep. 2014. T60 is equatorial-mount Cassegrain telescope. By the acceptance of this move by IfA, we adjusted its mount angle to the Hawaiian latitude, and moved to Haleakala in spring of 2014. This telescope can observe infrared light covering many molecular lines in planetary atmospheres. This telescope has Coude focus that can allow relatively large-sized instruments. Using this feature, our telescope is now providing the first capability of long-term operation of Infrared heterodyne spectrometer (MIRAHI) developed by us. It can achieve the spectral resolution of ~107, and resolve the atmospheric lines behind the terrestrial absorption lines and atmospheric velocity field in several 10 m/s resolutions. With other instruments, Venus, Mars, and Jupiter observations are planned in 2015. They will be linked to the observations of orbiter projects like Mars Express, MAVEN, Mars Trace Gas orbiter for Mars and Akatsuki for Venus, like T40 linked to Jupiter.

The 1.8m PLANETS (Polarized Light from Atmospheres of Nearby Extra Terrestrial Planets) telescope will have the first light in 2016 in the earliest case. It has an off-axis primary mirror (provided from Tohoku Univ.) with a diameter of 1.8 m. By the telescope structure optimization, we can avoid diffraction due to a spider structure that holds a secondary mirror and to minimize the scattered light from mirror surfaces as far as possible. With the instruments set to Gregorian focus on an equatorial mount, it can provide us a unique facility for spectroscopic and polarimetric observations of faint environments around the bright bodies, like planetary environments, stellar disks, etc.

T60 has also equatorial mount, and provides a test bench of instruments for PLANETS. One of examples is the exoplanet polarimetric instrument 'DiPol2', which tries to detect the reflected polarized light from exoplanet in the non-polarized mother star continuum. This test run was also from Jan 2015.

It is welcomed to any planet and exoplanet observation scientists who have interest to use our facility or expect to attach their own instruments for specific objectives. For promoting such activities, M. Kagitani, H. Nakagawa, and M. Yoneda stay in or visit frequently to Maui, and are contributing to the telescope/instrumental operations and developments.

国立天文台水沢における国際協力：かぐやの成果と将来の可能性
International Cooperation in NAOJ Mizusawa : Result of Kaguya, and possibility in the future.

花田 英夫^{1*}
HANADA, Hideo^{1*}

¹ 国立天文台 RISE 月惑星探査検討室
¹ RISE Project, National Astronomical Observatory of Japan

In the Japanese lunar explorer SELENE (Kaguya), which was launched on September 14th, 2007, VLBI observations were made for the purpose of improvement of the lunar gravity field model, through an international network as well as Japanese VERA (VLBI Exploration of Radio Astrometry) network. The international network consists of Shanghai and Urumqi (China), Wettzell (Germany) and Hobart (Australia) stations. They participated in VLBI observations, data reduction and data analysis based on the MOU for cooperative research, and the cooperation contributed not only to the success of Kaguya mission but to produce more scientific results.

RISE project of NAOJ (National Astronomical Observatory of Japan) were continuing the cooperation with Shanghai Astronomical Observatory, Xinjian Observatory (China) and Kazan Federal University (Russia) before Kaguya mission in the field of space geodesy, selenodesy, geodynamics and geophysics, astronomy and astrophysics. The International Earth Rotation and Reference Systems Service (IERS) which Mizusawa observatory contributed for long years is one of the basis of these cooperative researches. These cooperative researches are continuing for future lunar and planetary missions by exchange researchers and students and having international meetings.

キーワード: 国際協力, 覚書, VLBI, 地球回転, 宇宙測地学, 月探査計画
Keywords: International cooperation, MOU, VLBI, Earth rotation, Space geodesy, Lunar mission

太陽地球系物理学科学委員会 (SCOSTEP) の活動 Activities of SCOSTEP (Scientific Committee on Solar-Terrestrial Physics)

中村 卓司^{1*}
NAKAMURA, Takuji^{1*}

¹ 国立極地研究所
¹ NIPR

The Scientific Committee on Solar Terrestrial Physics (SCOSTEP) is an interdisciplinary body of the International Council for Science (ICSU). The main task of the committee is to organize and conduct international program on solar-terrestrial physics (STP) of finite duration in cooperation with other ICSU bodies. The committee was founded in 1966, and has carried out various international programs such as International Magnetospheric Study (IMS: 1976-79); Solar Maximum Year (SMY: 1979-81); Middle Atmosphere Program (MAP: 1982-85); and Solar-Terrestrial Energy Program (STEP: 1990-97). Four Post-STEP programmes over the period 1998-2002 include: STEP-Results, Applications, and Modeling Phase (SRAMP); International Solar Cycle Study (ISCS); Planetary Scale Mesopause Observing System (PSMOS); and Equatorial Processes Including Coupling (EPIC). After that, Climate and Weather of the Sun-Earth System (CAWSES: 2004-2008) and CAWSES-II(2009-2013) were carried out. Detail of the current program, VarSITI (Variability of the Sun and Its Terrestrial Impact) will be presented by another talk, but this paper will introduces the history, the structure and the activities of SCOSTEP, and relations with other international bodies.

キーワード: 太陽, 地球, SCOSTEP, 地球惑星科学
Keywords: Sun, Earth, SCOSTEP, Earth and planets

コスパー (宇宙空間研究委員会) COSPAR (The Committee on SPace Research)

佐々木 晶^{1*}
SASAKI, Sho^{1*}

¹ 大阪大学理学研究科宇宙地球科学専攻
¹Dept. Earth and Space Science, Osaka University

The COmmittee on SPace Research (COSPAR), frequently considered as "International Union of Space Sciences", was established by the International Council of Scientific Unions (ICSU) in October 1958 to continue the cooperative programmes of rocket and satellite research successfully undertaken during the International Geophysical Year of 1957-58. The ICSU resolution creating COSPAR stated that the primary purpose of COSPAR was to provide the world scientific community with the means whereby it may exploit the possibilities of satellites and space probes of all kinds for scientific purposes, and exchange the resulting data on a cooperative basis. Therefore, COSPAR is an interdisciplinary scientific organization concerned with progress on an international scale of all kinds of scientific investigations carried out with space vehicles, rockets and balloons. COSPAR's objectives are carried out by the international community of scientists working through ICSU and its adhering national academies and international scientific unions. Under the rules of ICSU, COSPAR ignores political considerations and considers all questions solely from the scientific viewpoint.

COSPAR has 8 scientific commissions and several panels:

Commission A Space Studies of the Earth's Surface, Meteorology and Climate

Commission B Space Studies of the Earth-Moon System, Planets, and Small Bodies of the Solar System

Commission C Space Studies of the Upper Atmospheres of the Earth and Planets Including Reference Atmospheres

Commission D Space Plasmas in the Solar System, Including Planetary Magnetospheres

Commission E Research in Astrophysics from Space

Commission F Life Sciences as Related to Space

Commission G Materials Sciences in Space

Commission H Fundamental Physics in Space

The main event of COSPAR is biannual scientific assembly, where usually more than 2000 scientists gather from all over the world. In Japan, COSPAR activity is supported by Science Council of Japan.

キーワード: 宇宙科学, 国際協力, 科学衛星, 気球観測, 太陽系探査, 無重力実験

Keywords: space sciences, international collaboration, scientific satellites, balloon experiments, solar system explorations, microgravity experiments

ICSWSE/ MAGDAS Project に於ける国際宇宙天気キャパシティ・ビルディング Introduction to MAGDAS of ICSWSE and to International Capacity Building of ISWI

吉川 顕正^{1*}
YOSHIKAWA, Akimasa^{1*}

¹九州大学国際宇宙天気科学・教育センター

¹International Center for Space Weather Science and Education, Kyushu University

ISWI stands for International Space Weather Initiative. It is a global scientific effort to advance space weather research by involving developing nations. Space weather research requires data from ground-based observation from all over the world. This requires the cooperation of developing nations. To enable this, developed nations must support education efforts in developing nations – this is International Capacity Building. ISWI makes use of existing ground-based arrays. One such array is MAGDAS, which has 72 magnetometers installed all over the world. The MAGDAS Project is managed by ICSWSE of Kyushu University. The contributions of MAGDAS to ISWI are outlined in this talk. It is the hope of ICSWSE that the members of AOSWA and other researchers of Asia will join the International Space Weather Initiative, which was initially established by the United Nations.

Keywords: ISWI, Capacity Building, Asia and Africa, MAGDAS

Science objectives and implementation of Software-type Wave-Particle Interaction Analyzer (SWPIA) by RPWI for JUICE Science objectives and implementation of Software-type Wave-Particle Interaction Analyzer (SWPIA) by RPWI for JUICE

加藤 雄人^{1*}; 小嶋 浩嗣²; 浅村 和史³; 笠羽 康正¹; 土屋 史紀¹; 笠原 禎也⁴; 井町 智彦⁴;
三澤 浩昭¹; 熊本 篤志¹; 八木谷 聡⁴; 石坂 圭吾⁵; 木村 智樹³; 三好 由純⁶; RPWI-JAPAN Team¹
KATO, Yuto^{1*}; KOJIMA, Hirotsugu²; ASAMURA, Kazushi³; KASABA, Yasumasa¹; TSUCHIYA, Fuminori¹;
KASAHARA, Yoshiya⁴; IMACHI, Tomohiko⁴; MISAWA, Hiroaki¹; KUMAMOTO, Atsushi¹; YAGITANI, Satoshi⁴;
ISHISAKA, Keigo⁵; KIMURA, Tomoki³; MIYOSHI, Yoshizumi⁶; RPWI-JAPAN, Team¹

¹ 東北大学大学院理学研究科, ² 京都大学生存圏研究所, ³ 宇宙航空研究開発機構宇宙科学研究所, ⁴ 金沢大学, ⁵ 富山県立大学, ⁶ 名古屋大学太陽地球環境研究所

¹Graduate School of Science, Tohoku University, ²Research Institute for Sustainable Humanosphere, Kyoto University, ³ISAS/JAXA, ⁴Univ. Kanazawa, ⁵Toyama Pref. Univ., ⁶STEL, Nagoya Univ.

We present science objectives of Software-type Wave-Particle Interaction Analyzer (SWPIA), which will be realized as a software function of Langmuir probes (LP) running on the DPU of RPWI (Radio and Plasma Waves Investigation; PI: J.-E. Wahlund, IRF-Uppsala, Sweden) for the ESA JUICE mission. SWPIA conducts onboard computations of physical quantities indicating the energy exchange between plasma waves and energetic ions. SWPIA cannot be achieved without onboard inter-instruments communications, which will be realized by efforts of RPWI, PEP (Particle Environment Package; PI: Stas Barabash, IR-Kiruna, Sweden) and J-MAG (JUICE Magnetometer; PI: M. Dougherty, ICL, UK). By providing the direct evidence of ion energization processes by plasma waves around Jovian satellites, SWPIA contributes scientific output of JUICE as much as possible with keeping its impact on the telemetry data size to a minimum.

SWPIA measures the energy transfer process between energetic particles and electromagnetic plasma waves [Fukuhara et al., EPS 2009; Katoh et al., AnGeo 2013]. SWPIA will be firstly realized in the ERG satellite mission in the Earth's inner magnetosphere to measure interactions between energetic electrons and whistler-mode chorus. We will apply SWPIA to ion-scale wave-particle interactions occurring in the Jovian magnetosphere. SWPIA clarifies where/when/how heavy ions are energized by waves in the region close to Ganymede and other Jovian satellites. In SWPIA of RPWI for JUICE, we focus on the interactions between energetic ions (a few to tens of keV) and ion cyclotron waves (typically less than 1 Hz). SWPIA uses wave electromagnetic field and ion velocity vectors provided by RPWI sensors and PEP, respectively, with referring three-components of the background magnetic field detected by J-MAG. SWPIA measures a relative phase angle between the velocity vector v_i of i -th particle of charge q_i and the wave electric field vector at the timing of particle's detection ($E(t_i)$) and computes an inner product of $W(t_i) = q_i E(t_i) \cdot v_i$, where $W(t_i)$ corresponds to the variation of the kinetic energy of the i -th energetic particle. We accumulate W for detected particles to obtain $W_{int} = \sum_i W(t_i)$, and we expect statistically significant values of W_{int} for the case of the measurement at the site of efficient wave-particle interactions. In this presentation, we discuss details of the implementation of SWPIA of RPWI and inter-instruments communications among RPWI-PEP-J-MAG of JUICE.

Keywords: Jovian magnetosphere, Jovian satellite, wave-particle interactions

THE ATMOSPHERIC CHARACTERIZATION FOR EXPLORATION AND SCIENCE (ACES) INSTRUMENT SUITE FOR MARS. THE ATMOSPHERIC CHARACTERIZATION FOR EXPLORATION AND SCIENCE (ACES) INSTRUMENT SUITE FOR MARS.

RAFKIN, Scot^{1*}; BANFIELD, Don²; ANDREWS, John¹; NOWICKI, Keith¹; CASE, Traci¹; DISSLY, Richard³; DWYER-CIANCIOLO, Alicia⁴; FENTON, Lori⁵; GENZER, Maria⁶; KARATEKIN, Ozgur⁷; LANGE, Carlos⁸; MERRISON, John⁹; NEAL, Kerry¹
RAFKIN, Scot^{1*}; BANFIELD, Don²; ANDREWS, John¹; NOWICKI, Keith¹; CASE, Traci¹; DISSLY, Richard³; DWYER-CIANCIOLO, Alicia⁴; FENTON, Lori⁵; GENZER, Maria⁶; KARATEKIN, Ozgur⁷; LANGE, Carlos⁸; MERRISON, John⁹; NEAL, Kerry¹

¹Southwest Research Institute, ²Cornell University, ³Ball Aerospace and Technology Corp., ⁴NASA Langley Research Center, ⁵SETI, ⁶Finnish Meteorological Institute, ⁷Royal Belgian Observatory, ⁸University of Alberta, ⁹University of Aarhus
¹Southwest Research Institute, ²Cornell University, ³Ball Aerospace and Technology Corp., ⁴NASA Langley Research Center, ⁵SETI, ⁶Finnish Meteorological Institute, ⁷Royal Belgian Observatory, ⁸University of Alberta, ⁹University of Aarhus

The Atmospheric Characterization for Exploration and Science (ACES) instrument suite is designed to address the highest priority, lower atmosphere goals and investigations identified by MEPAG[1] and to address both exploration technology Strategic Knowledge Gaps (SKGs)[2]. The ACES instrument suite measures atmospheric dust properties, fundamental atmospheric parameters, and the energy inputs that drive the atmosphere in ways that far exceed previous landed experiments.

The data to be returned by ACES is the comprehensive and necessary type of information that has been sought after by the atmospheric, aeolian, and Entry, Descent, and Landing (EDL) communities since the Viking Landers provided the first in situ glimpse of Martian meteorology. The intervening experiments since Viking have only marginally increased the knowledge necessary to address Mars Exploration Program and Human Exploration and Operations Mission Directorate (HEOMD) goals; continuing to repeat these meteorological experiments is an exercise in diminishing returns.

In addition to temperature, pressure, and relative humidity, ACES measures for the first time airborne particle concentration and size distribution, 3D wind components, and infrared and visible radiative fluxes. By combining the unique capabilities of ACES to determine turbulent eddy momentum fluxes and dust characteristics, ACES also measures the wind stress that lifts sand and dust.

The ACES instrument sensors may be accommodated on a rover (Figure 1) or on a stationary lander. A boom for wind and temperature and in some cases vis and IR radiation flux minimizes potential thermal, mechanical and radiative contamination by the space-craft.

ACES is strengthened by internationally contributed sensors and electronics from the U.S.A., Finland, Denmark, Canada, and Belgium. The ACES science team is comprised of exceptional scientists and engineers from each of these countries.

Details on the capabilities and response of each instrument, power requirements, accommodation, observation strategy, and data products and volume will be detailed in the talk.

References

[1] MEPAG (2008), Mars Scientific Goals, Objectives, Investigations, and Priorities: 2008, J.R. Johnson, ed. [2] Precursor Strategy Analysis Group (P-SAG) (2012) Report.

キーワード: Mars, Meteorology, Atmosphere, Instrumentation, Mars Mission
Keywords: Mars, Meteorology, Atmosphere, Instrumentation, Mars Mission

PPS04-P05

会場:コンベンションホール

時間:5月27日 18:15-19:30




Figure 1. ACES Instrument sensors, electronics and notional accommodation on the 2020 Rover.

宇宙惑星科学における国際協力：過去・現在・将来 International collaboration in planetary and space sciences: Past, present, and future

佐々木 晶^{1*}; 吉川 顕正²
SASAKI, Sho^{1*}; YOSHIKAWA, Akimasa²

¹ 大阪大学理学研究科宇宙地球科学専攻, ² 九州大学大学院理学研究院地球惑星科学部門

¹Dept. Earth and Space Science, Osaka University, ²Dept. Earth and Planetary Sciences, Kyushu University

International collaborations are becoming an important aspect of successful planetary and space science projects. In today's research environment, scientists and engineers from all over the world must work increasingly together in a variety of research projects, including ground-based observations, laboratory experiments, data analyses, archival studies, and numerical experiments. For future advancements in planetary and space sciences, it is important to consider the role of international collaboration, and facilitate interactions among researchers at all career levels from countries all over the world. However, international collaboration comes with its own set of challenges.

Here in this session, we discuss recent recent achievements and current status of various international projects and also we confirm roles of international organizations which are mostly scientifically-oriented.

キーワード: 宇宙惑星科学, 国際協力

Keywords: planetary and space sciences, international collaboration