Japan Geoscience Union Meeting 2015

(May 24th - 28th at Makuhari, Chiba, Japan) ©2015. Japan Geoscience Union. All Rights Reserved.



会場:301B

時間:5月27日17:15-17:30

水雲特性の違いに伴う 94GHz レーダ反射率の頻度分布の対応 Distributional correspondence of 94-GHz radar reflectivity with the variation in water cloud properties

Kawamoto Kazuaki^{1*}; 鈴木 健太郎² KAWAMOTO, Kazuaki^{1*}; SUZUKI, Kentaroh²

¹ 長崎大学大学院 水産・環境科学総合研究科,² 米国航空宇宙局ジェット推進研究所 ¹Graduate School Fisheries Science and Environmental Studies, Nagasaki University, ²NASA Jet Propulsion Laboratory

This paper studied the behavior of 94-GHz radar reflectivity (Ze) with variation in the properties of low-level water clouds, such as the effective droplet radius (re), geometrical thickness (Dcld), and liquid water path (LWP), over the northwest Pacific and China. The changes in the distribution of maxZe (the largest Ze within a cloud layer) were examined in terms of variation in the cloud parameters such as small, mid and large categories. While maxZe had monomodal distributions regarding variation in re and Dcld, that appeared bimodal in the small category of LWP. It was confirmed that the small category of LWP contained both non-precipitating clouds in the incipient stage and raining clouds in the dissipating stage. Next, optically-measured particle size was combined with LWP derived from the microwave measurement to classify the precipitation type. Applying maxZe and Dcld to the analysis of classified precipitation types corroborated the importance of Dcld for examining the occurrence of precipitation. Finally, the position of maxZe relative to the cloud top was investigated using a measure of the probability of precipitation (POP) according to variation in re. The results showed that the Pacific and China had 'bow' and 'funnel' shapes, respectively. The emergence of these shapes according to the variation in re was interpreted as the enhancement of Ze due to droplet collisional growth and the attenuation of Ze by the presence of large particles. Furthermore, a detailed analysis of smaller particles (<10 micron in radius) reinforced the idea of rapid, efficient particle growth in the lower part of the cloud.

キーワード: CloudSat, レーダ反射率, 雲物理, エアロゾル, 降雨 Keywords: CloudSat, Radar reflectivity, cloud physics, aerosol, precipitation